# SAFETY DATA SHEET

Version 4.8 Revision Date 05/23/2016 Print Date 05/15/2018

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Graphite

Product Number : 332461 Brand : Aldrich

CAS-No. : 7782-42-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

### 2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Formula : C

Molecular weight : 12.01 g/mol CAS-No. : 7782-42-5 EC-No. : 231-955-3

**Hazardous components** 

Component	Classification	Concentration
Graphite		
		<= 100 %

# 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Aldrich - 332461 Page 1 of 8

#### In case of skin contact

Wash off with soap and plenty of water.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

No data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

#### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapours, mist or gas.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Components with workplace control parameters

Aldrich - 332461 Page 2 of 8

CAS-No.	Value	Control	Basis	
		•		
7782-42-5	TWA			
			(OSHA) - Table Z-3 Mineral Dusts	
Remarks	Based on impinger samples counted by light-field techniques. mppcf X 35.3 = million particles per cubic meter = particles per c.c			
	TWA		USA. NIOSH Recommended	
			Exposure Limits	
	Also see specific listing for Graphite (synthetic).			
	TWA	15.000000	USA. Occupational Exposure Limits	
		mg/m3	(OSHA) - Table Z-1 Limits for Air	
			Contaminants	
	TWA	5.000000	USA. Occupational Exposure Limits	
		mg/m3	(OSHA) - Table Z-1 Limits for Air	
			Contaminants	
	TWA	2.000000	USA. ACGIH Threshold Limit Values	
		mg/m3	(TLV)	
	ů ,			
	TWA		USA. NIOSH Recommended	
			Exposure Limits	
	Also see specific listing for Graphite (synthetic).			
	TWA	15Million	USA. Occupational Exposure Limits	
			(OSHA) - Table Z-3 Mineral Dusts	
		cubic foot	(,	
	Based on	Based on impinger samples counted by light-field technic		
	mppcf X 35.3 = million particles per cubic meter = particles per c.c			
	TWA		USA. ACGIH Threshold Limit Values	
			(TLV)	
Pneumoconiosis		oniosis		
	PEL	10 mg/m3	California permissible exposure	
		, i	limits for chemical contaminants	
			(Title 8, Article 107)	
	PEL	5 mg/m3	California permissible exposure	
			limits for chemical contaminants	
			(Title 8, Article 107)	
	PEL	2.5 mg/m3	California permissible exposure	
			limits for chemical contaminants	
			(Title 8, Article 107)	
	7782-42-5	Remarks Based on mppof X 3 TWA  Also see s TWA  TWA  TWA  Pneumoc TWA  Also see s See table TWA  Based on mppof X 3 TWA  Pneumoc TWA  Preumoc TWA  Based on mppof X 3 TWA  Pneumoc PEL  PEL	Parameters   TWA	

# 8.2 Exposure controls

### Appropriate engineering controls

General industrial hygiene practice.

### Personal protective equipment

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Aldrich - 332461 Page 3 of 8

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Do not let product enter drains.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: flakes

Colour: grey

b) Odour odourless

c) Odour Threshold No data availabled) pH No data available

e) Melting point/freezing

point

Melting point/range: 3,652 - 3,697 °C (6,606 - 6,687 °F) - lit.

f) Initial boiling point and

boiling range

No data available

g) Flash point No data availableh) Evaporation rate No data availablei) Flammability (solid, gas) No data available

l) Upper/lower flammability or explosive limits No data available

k) Vapour pressure No data available

No data available

No data available

m) Relative density 1.900 g/cm3n) Water solubility slightly soluble

 Partition coefficient: noctanol/water No data available

p) Auto-ignition No data available temperature

q) Decomposition No data available temperature

r) Viscosity No data available

Aldrich - 332461 Page 4 of 8

s) Explosive properties No data availablet) Oxidizing properties No data available

### 9.2 Other safety information

No data available

#### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

#### 10.5 Incompatible materials

Strong oxidizing agents

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

### 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - female - > 2,000 mg/kg

(OECD Test Guideline 423)

LC50 Inhalation - Rat - male and female - 4 h - 2,000 mg/m3

(OECD Test Guideline 403)

Dermal: No data available

No data available

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

(OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

(OECD Test Guideline 405)

#### Respiratory or skin sensitisation

- Mouse

Did not cause sensitisation on laboratory animals.

(OECD Test Guideline 429)

# Germ cell mutagenicity

in vitro assay S. typhimurium

Result: negative

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

Aldrich - 332461 Page 5 of 8

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

**Aspiration hazard** 

No data available

**Additional Information** 

Repeated dose Rat - male - Feed - NOAEL : 813 mg/kg

toxicity

RTECS: MD9659600

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly

investigated.

#### 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish semi-static test LC50 - Danio rerio (zebra fish) - > 100 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)

other aquatic

invertebrates

Toxicity to algae

static test EC50 - Pseudokirchneriella subcapitata - > 100 mg/l - 72 h

(OECD Test Guideline 201)

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

# 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company.

### Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

Aldrich - 332461 Page 6 of 8

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### IATA

Not dangerous goods

#### 15. REGULATORY INFORMATION

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

No SARA Hazards

### **Massachusetts Right To Know Components**

CAS-No.	Revision Date
7782-42-5	1989-08-11
CAS-No.	Revision Date
7782-42-5	1989-08-11
CAS-No.	Revision Date
7782-42-5	1989-08-11
	7782-42-5 CAS-No. 7782-42-5 CAS-No.

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### **16. OTHER INFORMATION**

### **HMIS Rating**

Health hazard: 0
Chronic Health Hazard:
Flammability: 0
Physical Hazard 0

#### **NFPA Rating**

Health hazard: 0
Fire Hazard: 0
Reactivity Hazard: 0

### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Aldrich - 332461 Page 7 of 8

Version: 4.8 Revision Date: 05/23/2016 Print Date: 05/15/2018

Aldrich - 332461 Page 8 of 8