

SAFETY DATA SHEET

Creation Date 22-Sep-2009

Revision Date 25-Apr-2019

Revision Number 5

1. Identification

Product Name Allyl chloride, stabilized

Cat No. : AC102910000; AC102910010; AC102910025; AC102910050; AC102911000

CAS-No 107-05-1

Synonyms 3-Chloropropene

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|--|------------|
| Flammable liquids | Category 2 |
| Acute oral toxicity | Category 4 |
| Acute dermal toxicity | Category 4 |
| Acute Inhalation Toxicity - Vapors | Category 4 |
| Skin Corrosion/Irritation | Category 2 |
| Serious Eye Damage/Eye Irritation | Category 2 |
| Germ Cell Mutagenicity | Category 2 |
| Carcinogenicity | Category 2 |
| Specific target organ toxicity (single exposure) | Category 3 |
| Target Organs - Respiratory system. | |
| Specific target organ toxicity - (repeated exposure) | Category 2 |
| Target Organs - Central nervous system (CNS), Liver, Kidney. | |

Label Elements

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapor
 Causes skin irritation
 Causes serious eye irritation
 May cause respiratory irritation
 Suspected of causing genetic defects
 Suspected of causing cancer
 May cause damage to organs through prolonged or repeated exposure
 Harmful if swallowed, in contact with skin or if inhaled



Precautionary Statements

Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required
 Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Use only outdoors or in a well-ventilated area
 Wear eye/face protection
 Do not breathe dust/fume/gas/mist/vapors/spray
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking
 Keep container tightly closed
 Ground/bond container and receiving equipment
 Use explosion-proof electrical/ventilating/lighting/equipment
 Use only non-sparking tools
 Take precautionary measures against static discharge
 Keep cool

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

Call a POISON CENTER or doctor/physician if you feel unwell

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life

WARNING. Cancer - <https://www.p65warnings.ca.gov/>.**3. Composition/Information on Ingredients**

| Component | CAS-No | Weight % |
|-----------------|----------|-----------|
| Allyl chloride | 107-05-1 | >95 |
| Propylene oxide | 75-56-9 | 0.05-0.09 |

4. First-aid measures

| | |
|--|--|
| Eye Contact | Immediate medical attention is required. Get medical attention. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required. |
| Inhalation | Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If not breathing, give artificial respiration. |
| Ingestion | Do NOT induce vomiting. Get medical attention. |
| Most important symptoms and effects | Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting |
| Notes to Physician | Treat symptomatically |

5. Fire-fighting measures

| | |
|---|---|
| Suitable Extinguishing Media | Carbon dioxide (CO ₂). Dry chemical. Water mist may be used to cool closed containers. Chemical foam. Water mist may be used to cool closed containers. |
| Unsuitable Extinguishing Media | No information available |
| Flash Point | -29 °C / -20.2 °F |
| Method - | No information available |
| Autoignition Temperature | 390 °C / 734 °F |
| Explosion Limits | |
| Upper | 11.2% |
| Lower | 3.3% |
| Sensitivity to Mechanical Impact | No information available |
| Sensitivity to Static Discharge | No information available |

Specific Hazards Arising from the Chemical

Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Phosgene. Hydrogen chloride gas.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA
Health
3

Flammability
3

Instability
2

Physical hazards
N/A

6. Accidental release measures

Personal Precautions

Ensure adequate ventilation. Wear protective gloves/clothing and eye/face protection. Remove all sources of ignition. Take precautionary measures against static discharges. Avoid contact with skin, eyes or clothing.

Environmental Precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Methods for Containment and Clean Up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Provide adequate ventilation.

7. Handling and storage

Handling

Ensure adequate ventilation. Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Handle product only in closed system or provide appropriate exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Remove all sources of ignition. Take precautionary measures against static discharges. Keep away from open flames, hot surfaces and sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Storage

Flammables area. Keep away from heat, sparks and flame. Keep container tightly closed in a dry and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH IDLH | Mexico OEL (TWA) |
|-----------------|-----------------------------------|--|---|---------------------------|
| Allyl chloride | TWA: 1 ppm STEL: 2 ppm Skin | (Vacated) TWA: 1 ppm (Vacated) TWA: 3 mg/m ³ (Vacated) STEL: 2 ppm (Vacated) STEL: 6 mg/m ³ TWA: 1 ppm TWA: 3 mg/m ³ | IDLH: 250 ppm TWA: 1 ppm TWA: 3 mg/m ³ STEL: 2 ppm STEL: 6 mg/m ³ | TWA: 1 ppm STEL: 2 ppm |
| Propylene oxide | TWA: 2 ppm | (Vacated) TWA: 20 ppm (Vacated) TWA: 50 mg/m ³ TWA: 100 ppm TWA: 240 mg/m ³ | IDLH: 400 ppm | TWA: 2 ppm |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment.

Personal Protective Equipment
Eye/face Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

| | |
|---------------------------------|---|
| Skin and body protection | Wear appropriate protective gloves and clothing to prevent skin exposure. |
| Respiratory Protection | Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. |
| Hygiene Measures | Handle in accordance with good industrial hygiene and safety practice. |

9. Physical and chemical properties

| | |
|---|--|
| Physical State | Liquid |
| Appearance | Colorless |
| Odor | pungent |
| Odor Threshold | No information available |
| pH | No information available |
| Melting Point/Range | -136 °C / -212.8 °F |
| Boiling Point/Range | 44 - 46 °C / 111.2 - 114.8 °F @ 760 mmHg |
| Flash Point | -29 °C / -20.2 °F |
| Evaporation Rate | No information available |
| Flammability (solid,gas) | Not applicable |
| Flammability or explosive limits | |
| Upper | 11.2% |
| Lower | 3.3% |
| Vapor Pressure | 395 mbar @ 20 °C |
| Vapor Density | No information available |
| Specific Gravity | 0.939 |
| Solubility | 3.6 g/L (20°C) |
| Partition coefficient; n-octanol/water | No data available |
| Autoignition Temperature | 390 °C / 734 °F |
| Decomposition Temperature | No information available |
| Viscosity | 0.34 mPa.s at 20 °C |
| Molecular Formula | C3 H5 Cl |
| Molecular Weight | 76.53 |

10. Stability and reactivity

| | |
|---|--|
| Reactive Hazard | None known, based on information available |
| Stability | May form explosive peroxides. |
| Conditions to Avoid | Keep away from open flames, hot surfaces and sources of ignition. Excess heat. Exposure to light. Incompatible products. Exposure to moist air or water. |
| Incompatible Materials | Acids, Bases, Amines, Metals, Finely powdered metals |
| Hazardous Decomposition Products | Carbon monoxide (CO), Carbon dioxide (CO ₂), Phosgene, Hydrogen chloride gas |
| Hazardous Polymerization | Hazardous polymerization may occur. |
| Hazardous Reactions | None under normal processing. |

11. Toxicological information

Acute Toxicity

Product Information

| | |
|--------------------|--------------------------------------|
| Oral LD50 | Category 4. ATE = 300 - 2000 mg/kg. |
| Dermal LD50 | Category 4. ATE = 1000 - 2000 mg/kg. |
| Vapor LC50 | Category 3. ATE = 2 - 10 mg/l. |

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-----------------|--------------------------|------------------------------|----------------------------|
| Allyl chloride | LD50 = 450 mg/kg (Rat) | LD50 = 2026 mg/kg (Rabbit) | LC50 = 11 mg/L (Rat) 4 h |
| Propylene oxide | LD50 = 520 mg/kg (Rat) | LD50 = 1244 mg/kg (Rabbit) | 9.48 mg/L (Rat) 4 h |

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

Sensitization No information available

Carcinogenicity Possible cancer hazard. May cause cancer based on animal data. The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS-No | IARC | NTP | ACGIH | OSHA | Mexico |
|-----------------|----------|------------|------------------------|-------|------------|--------|
| Allyl chloride | 107-05-1 | Not listed | Not listed | A3 | Not listed | A3 |
| Propylene oxide | 75-56-9 | Group 2B | Reasonably Anticipated | A3 | X | A3 |

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen

A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects Substances which cause concern for man owing to possible mutagenic effects but for which the available information is not adequate for making a satisfactory assessment

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure Central nervous system (CNS) Liver Kidney

Aspiration hazard No information available

Symptoms / effects, both acute and delayed Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|-----------------|---|--|--------------------------|---------------------------------------|
| Allyl chloride | Not listed | LC50: 33.52 - 53.47 mg/L, 96h static (Lepomis macrochirus) LC50: 41.03 - 67.02 mg/L, 96h static (Poecilia reticulata) LC50: 14.97 - 24.78 mg/L, 96h static (Pimephales promelas) | Not listed | EC50: = 250 mg/L, 24h (Daphnia magna) |
| Propylene oxide | EC50: = 240 mg/L, 96h (Pseudokirchneriella subcapitata) | LC50: = 215 mg/L, 96h static (Lepomis macrochirus) | EC50 = 3300 mg/L 160 min | EC50: = 350 mg/L, 48h (Daphnia magna) |

Persistence and Degradability Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its volatility.

| Component | log Pow |
|-----------------|---------|
| Allyl chloride | 2.1 |
| Propylene oxide | 0.08 |

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1100
Proper Shipping Name ALLYL CHLORIDE
Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group I

TDG

UN-No UN1100
Proper Shipping Name ALLYL CHLORIDE
Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group I

IATA

UN-No UN1100
Proper Shipping Name ALLYL CHLORIDE
Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group I

IMDG/IMO

UN-No UN1100
Proper Shipping Name ALLYL CHLORIDE
Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group I

15. Regulatory information

United States of America Inventory

| Component | CAS-No | TSCA | TSCA Inventory notification - Active/Inactive | TSCA - EPA Regulatory Flags |
|-----------------|----------|------|---|-----------------------------|
| Allyl chloride | 107-05-1 | X | ACTIVE | - |
| Propylene oxide | 75-56-9 | X | ACTIVE | - |

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

| Component | CAS-No | DSL | NDSL | EINECS | PICCS | ENCS | AICS | IECSC | KECL |
|-----------------|----------|-----|------|-----------|-------|------|------|-------|----------|
| Allyl chloride | 107-05-1 | X | - | 203-457-6 | X | X | X | X | KE-05882 |
| Propylene oxide | 75-56-9 | X | - | 200-879-2 | X | X | X | X | KE-24565 |

U.S. Federal Regulations
SARA 313

| Component | CAS-No | Weight % | SARA 313 - Threshold Values % |
|-----------------|----------|-----------|-------------------------------|
| Allyl chloride | 107-05-1 | >95 | 1.0 |
| Propylene oxide | 75-56-9 | 0.05-0.09 | 0.1 |

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|-----------------|----------------------------|-----------------------------|------------------------|---------------------------|
| Allyl chloride | X | 1000 lb | - | - |
| Propylene oxide | X | 100 lb | - | - |

Clean Air Act

| Component | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|-----------------|-----------|-------------------------|-------------------------|
| Allyl chloride | X | | - |
| Propylene oxide | X | | - |

OSHA - Occupational Safety and Health Administration

OSHA - United States Occupational Safety and Health Administration

| Component | Specifically Regulated Chemicals | Highly Hazardous Chemicals |
|----------------|----------------------------------|----------------------------|
| Allyl chloride | - | TQ: 1000 lb |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Component | Hazardous Substances RQs | CERCLA EHS RQs |
|-----------------|--------------------------|----------------|
| Allyl chloride | 1000 lb 1 lb | - |
| Propylene oxide | 100 lb | 100 lb |

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Component | CAS-No | California Prop. 65 | Prop 65 NSRL | Category |
|-----------------|---------|---------------------|--------------|------------|
| Propylene oxide | 75-56-9 | Carcinogen | - | Carcinogen |

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-----------|---------------|------------|--------------|----------|--------------|
|-----------|---------------|------------|--------------|----------|--------------|

| | | | | | |
|-----------------|---|---|---|---|---|
| Allyl chloride | X | X | X | X | X |
| Propylene oxide | X | X | X | X | X |

U.S. Department of Transportation

Reportable Quantity (RQ): N

DOT Marine Pollutant N

DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product contains the following DHS chemicals:

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

| Component | DHS Chemical Facility Anti-Terrorism Standard |
|-----------------|---|
| Propylene oxide | Release STQs - 10000lb |

Other International Regulations

Mexico - Grade No information available

16. Other information

Prepared By Regulatory Affairs
Thermo Fisher Scientific
Email: EMSDS.RA@thermofisher.com

Creation Date 22-Sep-2009

Revision Date 25-Apr-2019

Print Date 25-Apr-2019

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS