

Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Identification of the substance or mixture

Product code 15596026
Product name TRIZOL REAGENT

Company/undertaking identification

Life Technologies Corporation
5781 Van Allen Way
PO Box 6482
Carlsbad, CA 92008
+1 760 603 7200

Life Technologies
5250 Mainway Drive
Burlington, ONT
CANADA L7L 6A4
800/263-6236

24 hour Emergency Response:

866-536-0631
301-431-8585
Outside of the U.S. +1-301-431-8585

24 hour Emergency Response for Hazardous Materials [or Dangerous Goods] Incident. Spill, Leak, Fire, Exposure, or Accident. Call CHEMTREC

Within the USA + Canada: 1-800-424-9300 and +1 703-527-3887
Outside the USA + Canada: +1 703-741-5970

Country specific Emergency Number (if available):

CHEMTREC Brazil (Rio De Janeiro) +(55)-2139581449 (português)

For Research Use Only. Not for use in diagnostic procedures.

SECTION 2: Hazards identification

GHS - Classification

Signal Word
DANGER

Hazard pictograms



Health hazards

Acute oral toxicity	Category 3
Acute dermal toxicity	Category 3
Acute Inhalation Toxicity - Vapors	Category 3
Skin corrosion/irritation	Category 1 B

Revision date 25-Apr-2017
Product code 15596026

Page 1 / 9
Product name TRIZOL REAGENT

Serious eye damage/eye irritation	Category 1
Specific target organ systemic toxicity (single exposure)	Category 3
Specific target organ systemic toxicity (repeated exposure)	Category 2

Mutagenicity	Mutagenic category 2
--------------	----------------------

Physical hazards

Not classified

Environmental hazards

Chronic aquatic toxicity	Category 3
--------------------------	------------

Hazard Statements

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H373 - May cause damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention

P201 - Obtain special instructions before use

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash hands thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P273 - Avoid release to the environment

Response

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards

No information available

HMIS

Health	4 * Chronic Hazard
Flammability	0
Reactivity	0

SECTION 3: Composition/information on ingredients

Component	CAS-No	EINECS-No	Weight %
Phenol 108-95-2 (30-60)	108-95-2	203-632-7	30-60
Guanidine isothiocyanate 593-84-0 (15-40)	593-84-0	209-812-1	15-40
Ammonium thiocyanate 1762-95-4 (7-13)	1762-95-4	217-175-6	7-13

Contact with acids or bleach liberates toxic gases. DO NOT ADD acids or bleach to any liquid wastes containing this product. We recommend handling all chemicals with caution.

SECTION 4: First aid measures

Description of first aid measures

Skin contact	Rinse with plenty of water . Immediate medical attention is not required.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do
Ingestion	Not expected to present a significant ingestion hazard under anticipated conditions of normal use. If you feel unwell, seek medical advice.
Inhalation	Not expected to be an inhalation hazard under anticipated conditions of normal use of this material. Consult a physician if necessary.
Notes to Physician	Treat symptomatically.

Most important symptoms and effects, both acute and delayed

H301 - Toxic if swallowed H311 - Toxic in contact with skin H331 - Toxic if inhaled H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation H341 - Suspected of causing genetic defects H373 - May cause damage to organs through prolonged or repeated exposure H412 - Harmful to aquatic life with long lasting effects

Indication of any immediate medical attention and special treatment needed

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. If skin irritation or rash occurs: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media	Water spray. Carbon dioxide (CO2). Foam. Dry chemical.
Unsuitable extinguishing media	No information available.

Special hazards arising from the substance or mixture Not known.

Advice for fire-fighters Standard procedure for chemical fires.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Always wear recommended Personal Protective Equipment. Use personal protection equipment. See Section 8 for more detail.

Environmental precautions

.

Methods and material for containment and cleaning up

Soak up with inert absorbent material.

Reference to other sections

See section 8 for more information.

SECTION 7: Handling and storage

Precautions for safe handling

Use personal protective equipment as required. No special handling advices are necessary.

Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep in properly labeled containers.

Specific end use(s)

For research use only.

SECTION 8: Exposure controls/personal protection

Control parameters

Chemical Name	OSHA PEL	OSHA PEL (Ceiling)	ACGIH OEL (TWA)	ACGIH OEL (STEL)
Phenol	5 ppm 19 mg/m ³	None	5 ppm	None
Guanidine isothiocyanate	None	None	None	None
Ammonium thiocyanate	5 mg/m ³	None	None	None

Engineering measures

Ensure adequate ventilation, especially in confined areas

Exposure controls

Personal Protective Equipment

Respiratory protection

In case of insufficient ventilation wear respirators and components tested and approved under appropriate government standards.

Hand protection

Wear suitable gloves Glove material: Compatible chemical-resistant gloves.

Eye protection

Tight sealing safety goggles

Skin and Body Protection

Wear suitable protective clothing

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls

.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	liquid	
Odor	No data available	
Melting point / melting range	°C Mixture has not been tested	°F Mixture has not been tested
Boiling point / boiling range	°C Mixture has not been tested	°F Mixture has not been tested
Flash point	°C Mixture has not been tested	°F Mixture has not been tested
Autoignition Temperature	°C Mixture has not been tested	°F Mixture has not been tested
Decomposition temperature	°C Mixture has not been tested	°F Mixture has not been tested
Evaporation rate	No data available	
Flammability (solid, gas)	No data available	
Upper explosion limit	Mixture has not been tested	
Lower explosion limit	Mixture has not been tested	
Vapor Pressure	Mixture has not been tested	
Relative density	Mixture has not been tested	
Specific gravity	No data available	
Solubility	No data available	
Partition coefficient: n-octanol/water	No data available	
Explosive properties	Mixture has not been tested	
Other information	No data available	

SECTION 10: Stability and reactivity

Reactivity	None known.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Hazardous reaction has not been reported.
Conditions to avoid	Contact with acids or bleach liberates toxic gases. DO NOT ADD acids or bleach to any liquid wastes containing this product.
Incompatible materials	No dangerous reaction known under conditions of normal use.
Hazardous decomposition products	No data available.

SECTION 11: Toxicological information

Information on toxicological effects

Chemical Name	LD50 (oral, rat/mouse)	LD50 (dermal, rat/rabbit)	LC50 (inhalation, rat/mouse)
Phenol	= 340 mg/kg (Rat) = 317 mg/kg (Rat)	No data available	=316mg/m ³ (Rat)
Guanidine isothiocyanate	764mg/kg	2000 mg/kg	5.319 mg/L (4H)
Ammonium thiocyanate	= 750 mg/kg (Rat)	No data available	No data available

Principal Routes of Exposure

Irritation	Skin irritation, Serious Eye Damage / Eye Irritation
Corrosivity	Causes severe skin burns and eye damage
Sensitization	Conclusive but not sufficient for classification
STOT - Single Exposure	May cause respiratory irritation
STOT - Repeated Exposure	Conclusive but not sufficient for classification
Carcinogenicity	Conclusive but not sufficient for classification
Mutagenicity	Product is or contains a chemical which may cause mutations in the germ cells of humans.
Reproductive toxicity	Conclusive but not sufficient for classification
Aspiration hazard	Conclusive but not sufficient for classification

SECTION 12: Ecological information

Toxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Freshwater Algae Data	Water Flea Data	Freshwater Fish Species Data	Microtox Data	log Pow
Phenol	Desmodesmus subspicatus EC50 187 - 279 mg/L (72 h) Pseudokirchneriella subcapitata EC50 46.42 mg/L (96 h)	Daphnia magna EC50 4.24 - 10.7 mg/L (48 h) Daphnia magna EC50 10.2 - 15.5 mg/L (48 h)	No data available	No data available	logPow1.5
Guanidine isothiocyanate	No data available	No data available	No data available	No data available	No data available
Ammonium thiocyanate	No data available	No data available	No data available	No data available	No data available

Persistence and degradability No information available.

Bioaccumulative potential No information available.

Results of PBT and vPvB assessment

No information available.

Other adverse effects No information available.

SECTION 13: Disposal considerations

Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in according to approved disposal technique. Disposal of this product, its solutions or of any by-products, shall comply with the requirements of all applicable local, regional or national/federal regulations

SECTION 14: Transport information

IATA / ADR / DOT-US / IMDG

Classified as dangerous in the meaning of transport regulations.

UN number	1760
UN proper shipping name	Corrosive liquid, n.o.s. (phenol - guanidine thiocyanate solution)
Transport hazard class(es)	8
Packing group	II
Environmental hazards	yes
Special precautions for user	Not Applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not Applicable.

SECTION 15: Regulatory information

Component	US TSCA
Phenol 108-95-2 (30-60)	Listed
Guanidine isothiocyanate 593-84-0 (15-40)	Listed
Ammonium thiocyanate 1762-95-4 (7-13)	Listed

US Federal Regulations

SARA 313

This product contains the following toxic chemical(s) subject to the notification requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986. This law requires certain manufacturers to report on annual emissions of specified chemicals and chemical categories. Please note that if you repackage, or otherwise redistribute, this product to industrial customers, a notice similar to this one should be sent to those customers:.

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values
Phenol	108-95-2	30-60	1.0
Ammonium thiocyanate	1762-95-4	7-13	1.0

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs:.

Component	CAS-No	Weight %	HAPS data
Phenol 108-95-2 (30-60)	108-95-2	30-60	Present
Ammonium thiocyanate 1762-95-4 (7-13)	1762-95-4	7-13	Present (XCN where X=H or any other group where a formal dissociation may occur. For example KCN or Ca[CN]2)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

WHMIS Hazard Class

D1A - Very toxic materials

E - Corrosive material



This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

SECTION 16: Other information

Reason for revision	SDS sections updated.
Revision number	11
Revision date	25-Apr-2017

For Research Use Only. Not for use in diagnostic procedures.

References

- ECHA: <http://echa.europa.eu/>

Revision date 25-Apr-2017
Product code 15596026

Page 8 / 9
Product name TRIZOL REAGENT

- TOXNET: <http://toxnet.nlm.nih.gov/>
- eChemPortal: <http://www.echemportal.org/>
- LOLI database: <https://www.chemadvisor.com/loli-database>

"The above information was acquired by diligent search and/or investigation and the recommendations are based on prudent application of professional judgment. The information shall not be taken as being all inclusive and is to be used only as a guide. All materials and mixtures may present unknown hazards and should be used with caution. Since the Company cannot control the actual methods, volumes, or conditions of use, the Company shall not be held liable for any damages or losses resulting from the handling or from contact with the product as described herein. THE INFORMATION IN THIS SDS DOES NOT CONSTITUTE A WARRENTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PUPOSE"

End of Safety Data Sheet