# **SAFETY DATA SHEET**

Version 6.2 Revision Date 05/28/2017 Print Date 08/08/2019

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Copper(II) sulfate

Product Number : 451657
Brand : Aldrich
Index-No. : 029-004-00-0

CAS-No. : 7758-98-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 Spruce Street ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887

### 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram

**!** 

Signal word Warning

Hazard statement(s)

H302 Harmful if swallowed. H315 Causes skin irritation.

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.
P280 Wear eve protection/ face protection.

P280 Wear protective gloves.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substances

Synonyms : Cupric sulfate

Formula : CuO<sub>4</sub>S

Molecular weight : 159.61 g/mol
CAS-No. : 7758-98-7

EC-No. : 231-847-6
Index-No. : 029-004-00-0

**Hazardous components** 

Component	Classification	Concentration
Copper sulphate		
	Acute Tox. 4; Skin Irrit. 2; Eye	<= 100 %
	Irrit. 2A; Aquatic Acute 1;	
	Aquatic Chronic 1; H302,	
	H315, H319, H410	

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### lf swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Aldrich- 451657 Page 2 of 8

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

Sulphur oxides, Borane/boron oxides, Copper oxides

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

No data available

### 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Avoid breathing dust.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combu formation should be taken into consideration before additional processing Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Air sensitive. hygroscopic Store under inert gas. Keep in a dry place.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

Components with workplace control parameters

Aldrich- 451657 Page 3 of 8

Component	CAS-No.	Value	Control	Basis
			parameters	
Copper sulphate	7758-98-7	TWA	1.000000	USA. NIOSH Recommended
			mg/m3	Exposure Limits
		TWA	1.000000	USA. NIOSH Recommended
			mg/m3	Exposure Limits
		TWA	1 mg/m3	USA. NIOSH Recommended
				Exposure Limits

### 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

### Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industria situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle r (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

Colour: light grey

b) Odourc) Odour Thresholdd) pHNo data availableNo data available

Aldrich- 451657 Page 4 of 8

e) Melting point/freezing Melting point/range: 200 °C (392 °F) - dec.

point

f) Initial boiling point and No data available

boiling range

g) Flash point ()Not applicableh) Evaporation rate No data available

i) Flammability (solid, gas) No data available

j) Upper/lower No data available

flammability or explosive limits

k) Vapour pressure 9.7 hPa at 25 °C (77 °F)

I) Vapour density No data available

m) Relative density 3.603 g/mL at 25 °C (77 °F)

n) Water solubility No data available
b) Partition coefficient: n- No data available

octanol/water

octanol/water
) Auto-ignition

No data available

temperature
q) Decomposition

No data available

temperature

r) Viscosity No data available

s) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

Bulk density 1 kg/m3

# 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Powdered metals, hydroxylamine, Magnesium, Strong reducing agents

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Sulphur oxides, Borane/boron oxides, Copper oxides

Other decomposition products - No data available

In the event of fire: see section 5

Aldrich- 451657 Page 5 of 8

# 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - 482 mg/kg(Copper sulphate) Inhalation: No data available(Copper sulphate) Dermal: No data available(Copper sulphate)

LD50 Intraperitoneal - Rat - 20 mg/kg(Copper sulphate) LD50 Subcutaneous - Rat - 43 mg/kg(Copper sulphate) LD50 Intravenous - Rat - 48.9 mg/kg(Copper sulphate)

#### Skin corrosion/irritation

No data available(Copper sulphate)

# Serious eye damage/eye irritation

No data available(Copper sulphate)

### Respiratory or skin sensitisation

No data available(Copper sulphate)

### Germ cell mutagenicity

Rat(Copper sulphate) Liver DNA damage (Copper sulphate) Mouse DNA damage

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

No data available(Copper sulphate)

No data available(Copper sulphate)

### Specific target organ toxicity - single exposure

No data available(Copper sulphate)

# Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available(Copper sulphate)

#### **Additional Information**

RTECS: GL8800000

Symptoms of systemic copper poisoning may include: capillary damage, heada central nervous system excitation followed by depression, jaundice, convu renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, copper deposition in the cornea as exemplified by humans with Wilson's di lead to hemolytic anemia and accelerates arteriosclerosis., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.(Copper sulphate)

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence(Copper sulphate)

Aldrich- 451657 Page 6 of 8

# 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish mortality LC50 - other fish - 1 - 2.5 mg/l - 96.0 h(Copper sulphate)

Toxicity to daphnia and

Immobilization EC50 - Daphnia magna (Water flea) - 0.024 mg/l - 48 h(Copper

other aquatic sulphate)

invertebrates

# 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available(Copper sulphate)

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

No data available

### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chem scrubber.

#### Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substances, solid, n.o.s. (Copper sulphate)

Reportable Quantity (RQ) : 10 lbs

Marine pollutant: no

Poison Inhalation Hazard: No

**IMDG** 

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper sulphate)

Marine pollutant : yes

**IATA** 

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Copper sulphate)

# 15. REGULATORY INFORMATION

# **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Aldrich- 451657 Page 7 of 8

### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date 7758-98-7 1993-04-24

### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

CAS-No. Revision Date 7758-98-7 1993-04-24

Pennsylvania Right To Know Components

CAS-No. Revision Date Copper sulphate 7758-98-7 1993-04-24

**New Jersey Right To Know Components** 

CAS-No. Revision Date 7758-98-7 1993-04-24

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

### **HMIS Rating**

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 0
Physical Hazard 0

**NFPA Rating** 

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 6.2 Revision Date: 05/28/2017 Print Date: 08/08/2019

Aldrich- 451657 Page 8 of 8