

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 04/09/2015 Revision date: 01/09/2018 Supersedes: 09/30/2015

Version: 1.2

SECTION 1: Identification

Identification

Product form : Mixtures

Product name : Methylene Blue, Loeffler

Product code LC16960

Recommended use and restrictions on use

Use of the substance/mixture : For laboratory and manufacturing use only.

Recommended use : Laboratory chemicals

Restrictions on use : Not for food, drug or household use

1.3. Supplier

LabChem Inc

Jackson's Pointe Commerce Park Building 1000, 1010 Jackson's Pointe Court

Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.com

Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 or 011-703-527-3887

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS-US classification

Flammable liquids H225 Highly flammable liquid and vapor

Category 2 Carcinogenicity Category H350

Reproductive toxicity

H361 Suspected of damaging fertility or the unborn child (oral)

Category 2

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS-US labeling

Hazard pictograms (GHS-US)





GHS02

GHS08

May cause cancer

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H225 - Highly flammable liquid and vapor

H350 - May cause cancer

H361 - Suspected of damaging fertility or the unborn child (oral)

Precautionary statements (GHS-US) : P201 - Obtain special instructions before use

> P202 - Do not handle until all safety precautions have been read and understood P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P280 - Wear protective gloves, eye protection

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P308+P313 - IF exposed or concerned: Get medical advice/attention

P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2) to extinguish

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

P501 - Dispose of contents/container to comply with local, state and federal regulations

P363 - Wash contaminated clothing before reuse

01/09/2018 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards which do not result in classification

Other hazards not contributing to the

classification

: None under normal conditions.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Water	(CAS-No.) 7732-18-5	80.43	Not classified
Ethanol	(CAS-No.) 64-17-5	17.19	Flam. Liq. 2, H225 Carc. 1A, H350 Repr. 2, H361
Methanol	(CAS-No.) 67-56-1	0.96	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370
Isopropyl Alcohol (2-Propanol)	(CAS-No.) 67-63-0	0.95	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H335
Methylene Blue	(CAS-No.) 61-73-4	0.41	Acute Tox. 4 (Oral), H302 Aquatic Acute 2, H401
Potassium Hydroxide	(CAS-No.) 1310-58-3	0.06	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Aquatic Acute 3, H402

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get

medical advice/attention.

First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Suspected of damaging fertility or the unborn child.

Symptoms/effects after skin contact : May stain the skin. Symptoms/effects after ingestion : Nausea. Vomiting.

4.3. Immediate medical attention and special treatment, if necessary

Obtain medical assistance.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

01/09/2018 EN (English US) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Safety glasses. Gloves.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have

400 ppm (2-propanol; USA; Short time value; TLV -

Adopted Value)

980 mg/m³

400 ppm

2000 ppm

been read and understood.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use.

Incompatible products : Strong oxidizers.

Incompatible materials : Sources of ignition. Direct sunlight.

ACGIH STEL (ppm)

US IDLH (ppm)

OSHA PEL (TWA) (mg/m3)

OSHA PEL (TWA) (ppm)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters Methylene Blue (61-73-4)

ACGIH

OSHA

OSHA

IDLH

metrylene blac (or ro 4)			
Not applicable			
Potassium Hydroxi	Potassium Hydroxide (1310-58-3)		
ACGIH	ACGIH Ceiling (mg/m³)	2 mg/m³ (Potassium hydroxide; USA; Momentary value; TLV - Adopted Value)	
NIOSH	NIOSH REL (ceiling) (ppm)	2 ppm	
Ethanol (64-17-5)	Ethanol (64-17-5)		
ACGIH	ACGIH STEL (ppm)	1000 ppm (Ethanol; USA; Short time value; TLV - Adopted Value)	
OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m³	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
IDLH	US IDLH (ppm)	3300 ppm	
NIOSH	NIOSH REL (TWA) (mg/m³)	1900 mg/m³	
NIOSH	NIOSH REL (TWA) (ppm)	1000 ppm	
Isopropyl Alcohol (2-Propanol) (67-63-0)			
ACGIH	ACGIH TWA (ppm)	200 ppm (2-propanol; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)	

01/09/2018 EN (English US) 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

lsopropyl Alcohol (2	2-Propanol) (67-63-0)	
NIOSH	NIOSH REL (TWA) (mg/m³)	980 mg/m³
NIOSH	NIOSH REL (TWA) (ppm)	400 ppm
NIOSH	NIOSH REL (STEL) (mg/m³)	1225 mg/m³
NIOSH	NIOSH REL (STEL) (ppm)	500 ppm
Methanol (67-56-1)		
ACGIH	ACGIH TWA (ppm)	200 ppm (Methanol; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	ACGIH STEL (ppm)	250 ppm (Methanol; USA; Short time value; TLV - Adopted Value)
OSHA	OSHA PEL (TWA) (mg/m³)	260 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	200 ppm
DLH	US IDLH (ppm)	6000 ppm
NIOSH	NIOSH REL (TWA) (mg/m³)	250 mg/m³
NIOSH	NIOSH REL (TWA) (ppm)	200 ppm
NIOSH	NIOSH REL (STEL) (mg/m³)	325 mg/m³
NIOSH	NIOSH REL (STEL) (ppm)	250 ppm
NIOSH	l .	Skin

8.2. Appropriate engineering controls

Appropriate engineering controls

: Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Gloves. Safety glasses.





Hand protection:

Wear protective gloves

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Blue
Odor : None.

Odor threshold : No data available

01/09/2018 EN (English US) 4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong oxidizers.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure : Skin and eye contact

Acute toxicity : Not classified

Methylene Blue (61-73-4)		
LD50 oral rat	1180 mg/kg (Rat)	
ATE US (oral)	1180 mg/kg body weight	
Potassium Hydroxide (1310-58-3)		
LD50 oral rat	333 mg/kg (Rat; Equivalent or similar to OECD 425; Experimental value)	
ATE US (oral)	333 mg/kg body weight	
Ethanol (64-17-5)		
LD50 oral rat	10740 mg/kg (Rat; Experimental value, Rat; Experimental value)	
LD50 dermal rabbit	> 16000 mg/kg (Rabbit; Literature study)	
ATE US (oral)	10740 ma/ka body weight	

01/09/2018 EN (English US) 5/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Isopropyl Alcohol (2-Propanol) (67-63	-0)
LD50 dermal rabbit	12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)
LC50 inhalation rat (mg/l)	73 mg/l/4h (Rat)
ATE US (oral)	5045 mg/kg body weight
ATE US (dermal)	12870 mg/kg body weight
ATE US (vapors)	73 mg/l/4h
ATE US (dust, mist)	73 mg/l/4h
Methanol (67-56-1)	
LD50 oral rat	> 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence)
LD50 dermal rabbit	15800 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	85 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (ppm)	64000 ppm/4h (Rat; Literature study)
Water (7732-18-5)	
LD50 oral rat	≥ 90000 mg/kg
ATE US (oral)	90000 mg/kg body weight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.
Ethanol (64-17-5)	
IARC group	1 - Carcinogenic to humans
Isopropyl Alcohol (2-Propanol) (67-63	-0)
IARC group	3 - Not classifiable
Reproductive toxicity	Suspected of damaging fertility or the unborn child (oral)

Reproductive toxicity : Suspected of damaging fertility or the unborn child (oral).

Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity - repeated

exposure

: Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects after skin contact : May stain the skin. Symptoms/effects after ingestion : Nausea. Vomiting.

SECTION 12: Ecological information

12.1. Toxicity

Methylene Blue (61-73-4)		
EC50 Daphnia 1	2.26 mg/l (EC50; 48 h)	
LC50 fish 2	18 mg/l (LC50; 96 h)	
Potassium Hydroxide (1310-58-3)		
LC50 fish 2	80 mg/l (LC50; 96 h; Gambusia affinis; Static system; Fresh water)	
Ethanol (64-17-5)		
LC50 fish 1	14200 mg/l (LC50; US EPA; 96 h; Pimephales promelas; Flow-through system; Fresh water; Experimental value)	
Isopropyl Alcohol (2-Propanol) (67-63-0)		
LC50 fish 2	9640 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flow-through system; Fresh water; Experimental value)	
EC50 Daphnia 2	13299 mg/l (EC50; Other; 48 h; Daphnia magna)	
Threshold limit algae 1	> 1000 mg/l (EC50; UBA; 72 h; Scenedesmus subspicatus)	

01/09/2018 EN (English US) 6/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methanol (67-56-1)	
LC50 fish 1	15400 mg/l (LC50; EPA 660/3 - 75/009; 96 h; Lepomis macrochirus; Flow-through system; Fresh water; Experimental value)
EC50 Daphnia 1	> 10000 mg/l (EC50; DIN 38412-11; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
LC50 fish 2	10800 mg/l (LC50; 96 h; Salmo gairdneri)

12.2. Persistence and degradability

2.2. I crostence and degradability		
Methylene Blue, Loeffler		
Persistence and degradability	Not established.	
Methylene Blue (61-73-4)		
Persistence and degradability	Biodegradability in water: no data available. Photodegradation in the air.	
Potassium Hydroxide (1310-58-3)		
Persistence and degradability	Biodegradability: not applicable.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
Ethanol (64-17-5)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.	
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O₂/g substance	
Chemical oxygen demand (COD)	1.7 g O₂/g substance	
ThOD	2.1 g O₂/g substance	
BOD (% of ThOD)	0.43	
Isopropyl Alcohol (2-Propanol) (67-63-0)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No test data on mobility of the substance available.	
Biochemical oxygen demand (BOD)	1.19 g O₂/g substance	
Chemical oxygen demand (COD)	2.23 g O₂/g substance	
ThOD	2.4 g O₂/g substance	
Methanol (67-56-1)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.	
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O₂/g substance	
Chemical oxygen demand (COD)	1.42 g O₂/g substance	
ThOD	1.5 g O₂/g substance	
BOD (% of ThOD)	0.8 (Literature study)	
Water (7732-18-5)		
Persistence and degradability	Not established.	

12.3. Bioaccumulative potential

Methylene Blue, Loeffler	
Bioaccumulative potential	Not established.
Methylene Blue (61-73-4)	
Log Pow	5.85 (Estimated value)
Bioaccumulative potential	Not bioaccumulative.
Potassium Hydroxide (1310-58-3)	
Bioaccumulative potential	Bioaccumulation: not applicable.
Ethanol (64-17-5)	
BCF fish 1	1 (BCF; Other; 72 h; Cyprinus carpio; Static system; Fresh water; Read-across)
Log Pow	-0.31 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

01/09/2018 EN (English US) 7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Isopropyl Alcohol (2-Propanol) (67-63-0)		
Log Pow	0.05 (Weight of evidence approach; Other; 25 $^{\circ}$ C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Methanol (67-56-1)		
BCF fish 1	< 10 (BCF; 72 h; Leuciscus idus)	
Log Pow	-0.77 (Experimental value; Other)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
Water (7732-18-5)		
Bioaccumulative potential	Not established.	

12.4. Mobility in soil

Ethanol (64-17-5)		
Surface tension	0.022 N/m (20 ℃)	
Log Koc	Koc,PCKOCWIN v1.66; 1; Read-across	
Isopropyl Alcohol (2-Propanol) (67-63-0)		
Surface tension	0.021 N/m (25 ℃)	
Methanol (67-56-1)		
Surface tension	0.023 N/m (20 ℃)	
Log Koc	Koc,PCKOCWIN v1.66; 1; Calculated value	

12.5. Other adverse effects

Effect on the global warming : No known effects from this product. GWPmix comment : No known effects from this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to comply with local, state and federal regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

Methylene Blue, Loeffler	
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Isopropyl Alcohol (2-Propanol)	CAS-No. 67-63-0	0.95%
Methanol	CAS-No. 67-56-1	0.96%

Potassium Hydroxide (1310-58-3)	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard

01/09/2018 EN (English US) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methanol (67-56-1)	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	5000 lb
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Fire hazard

15.2. International regulations

CANADA

Methylene Blue (61-73-4)

Listed on the Canadian DSL (Domestic Substances List)

Methanol (67-56-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Methylene Blue (61-73-4)

Listed on the Canadian IDL (Ingredient Disclosure List)

Ethanol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

Methanol (67-56-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	

SECTION 16: Other information

Revision date : 01/09/2018 Other information : None.

01/09/2018 EN (English US) 9/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases: see section 16:

text of n-prirases, see se	
H225	Highly flammable liquid and vapor
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H335	May cause respiratory irritation
H350	May cause cancer
H361	Suspected of damaging fertility or the unborn child
H370	Causes damage to organs
H401	Toxic to aquatic life
H402	Harmful to aquatic life
1	

NFPA health hazard

: 2 - Materials that, under emergency conditions, can cause

temporary incapacitation or residual injury.

NFPA fire hazard


NFPA reactivity

: 1 - Materials that must be preheated before ignition can

occur.

: 0 - Material that in themselves are normally stable, even

under fire conditions.



Hazard Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

: B

* - Chronic (long-term) health effects may result from repeated overexposure

Flammability

: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,

solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection

B - Safety glasses, Gloves

SDS US LabChem

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.

01/09/2018 EN (English US) 10/10