

SAFETY DATA SHEET

Revision Date 10-Aug-2016 WAI1 - AGHS - OSHA Revision Number 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name Reference Filling Solution

Product No 510011

Pure substance/mixture Mixture

Contains Potassium Hydroxide

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Use as laboratory reagent

Uses advised against No Information available

Manufacturer, Importer, Supplier Thermo Fisher Scientific©

Water and Lab Products

22 Alpha Road

Chelmsford, MA 01824, USA

1-978-232-6000

E-mail address <u>info.water@thermo.com</u>

Made in USA

Emergency Telephone 24 Hour Emergency Phone Number

CHEMTREC®

Within USA and Canada: 1-800-424-9300 Outside USA and Canada: 1-703-527-3887

(collect calls accepted)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity	Category 4
Skin Corrosion/irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2A

Label Elements

Emergency Overview

Warning

Hazard Statements

Harmful if swallowed Causes skin irritation Causes serious eye irritation



Appearance Dark brown

Physical State Liquid

Odor Odorless

Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Response

Specific treatment (see supplemental instructions on the administration of antidotes on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No information available

Other Information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No	Weight %
Water	7732-18-5	50 - 60%
Potassium Iodide	7681-11-0	40 - 50%
Potassium Hydroxide	1310-58-3	1 - 10%
Boric Acid	10043-35-3	0.1 - 1.0%
Iodine	7553-56-2	0.1 - 1.0%

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General Advice Use first aid treatment according to the nature of the injury. Get medical attention

immediately if symptoms occur. Show this safety data sheet to the doctor in attendance.

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Obtain medical attention.

Skin Contact Wash off immediately with soap and plenty of water for at least 15 minutes. Take off

contaminated clothing and shoes immediately. In case of skin reactions, consult a

physician.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Get medical attention if symptoms

occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Call a

physician or Poison Control Center immediately.

Protection of First-aidersUse personal protective equipment. See section 8 for more information. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device.

Most important symptoms and effects, both acute and delayed

Most important symptoms/effects No information available

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

Specific Hazards Arising from the Chemical

No information available.

Explosion Data
Sensitivity to Mechanical Impact None
Sensitivity to Static Discharge None

Reference Filling Solution 10-Aug-2016

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal PrecautionsUse personal protective equipment. For further specification, refer to section 8 of the SDS.

Evacuate personnel to safe areas.

Environmental PrecautionsBeware of vapors accumulating to form explosive concentrations. Vapors can accumulate in

low areas.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling To avoid risks to human health and the environment, comply with the instructions for use

Wear personal protective equipment

Avoid breathing dust/fume/gas/mist/vapors/spray Ensure adequate ventilation, especially in confined areas

Conditions for Safe Storage, Including any Incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place

Store at room temperature in the original container

Keep away from direct sunlight

Incompatible Products No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium Iodide 7681-11-0	TWA: 0.01 ppm	-	-
Potassium Hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(Vacated) Ceiling: 2 mg/m³	Ceiling: 2 mg/m ³
Boric Acid 10043-35-3	TWA: 2 mg/m³ STEL: 6 mg/m³	-	-
lodine 7553-56-2	TWA: 0.01 ppm STEL: 0.1 ppm	Ceiling: 0.1 ppm Ceiling: 1 mg/m³ (Vacated) Ceiling: 0.1 ppm (Vacated) Ceiling: 1 mg/m³	IDLH: 2 ppm Ceiling: 0.1 ppm Ceiling: 1 mg/m³

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Ç Ç

Eye/face Protection Wear chemical splash goggles and face shield. If splashes are likely to occur, wear:.

Face-shield.

Skin and Body Protection Wear protective gloves/clothing.

Respiratory ProtectionNone under normal use conditions. In case of inadequate ventilation wear respiratory

protection.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid
Appearance Dark brown
Odor Odorless

Odor Threshold No information available

PH Range 6.4 -7.6

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point/freezing pointNo information availableBoiling Point/Range~ 100 °C / 212 °F

Flash Point (High in °C) N/A

Evaporation RateFlammability (solid, gas)
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor Density
Specific Gravity
Water Solubility

No information available
No information available
No information available
No information available
Soluble in water

Solubility in other solvents

Partition coefficient

No information available
No information available

Autoignition Temperature

Decomposition TemperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

Other Information

Softening Point
Molecular Weight
VOC Content(%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No Information available

Chemical Stability

Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing

Revision Date Reference Filling Solution 10-Aug-2016

Conditions to Avoid

Extremes of temperature and direct sunlight

Incompatible Materials

No information available

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation No information available

Eye Contact No information available

Skin Contact No information available

No information available Ingestion

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water 7732-18-5	LD50 > 90 mL/kg (Rat)	-	-
Potassium Hydroxide 1310-58-3	LD50 = 284 mg/kg (Rat)	-	-
Boric Acid 10043-35-3	LD50 = 2660 mg/kg (Rat)	LD50 > 2000 mg/kg (Rabbit)	LC50 > 0.16 mg/L (Rat) 4 h
lodine 7553-56-2	LD50 = 14 g/kg (Rat)	-	-

Information on Toxicological Effects

Symptoms No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available

Mutagenic Effects No information available

Carcinogenicity No information available.

Reproductive Effects No information available

No information available STOT - single exposure

STOT - repeated exposure No information available

Aspiration hazard No information available

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 1072 mg/kg ATEmix (inhalation-dust/mist) 8.8 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product No 510011

Product NameReference Filling Solution

Note of thing Solution

45.05% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Component	Freshwater Algae	Freshwater Fish	Water Flea
Potassium Hydroxide 1310-58-3	-	LC50: = 80 mg/L, 96h static (Gambusia affinis)	-
Boric Acid 10043-35-3	-	LC50: = 1020 mg/L, 72h flow-through (Carassius auratus)	EC50: 115 - 153 mg/L, 48h (Daphnia magna)

Persistence and Degradability

No information available

Bioaccumulation/ Accumulation

No information available

Mobility

.

Component	log Pow
Potassium Hydroxide 1310-58-3	0.83
Boric Acid 10043-35-3	-0.757

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

Component	CAWAST
Potassium Hydroxide	Toxic
1310-58-3	Corrosive
Boric Acid	Toxic
10043-35-3	

14. TRANSPORT INFORMATION

DOT Not regulated

<u>ICAO</u> Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Inventories

USINV Complies
CANINV Complies
EINECS/ELINCS Complies

ENCS Does not Comply

Reference Filling Solution

IECSC Complies

KECL Does not Comply

PICCS Complies AICS Complies

USINV/ TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

CANINV/ DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium Hydroxide 1310-58-3	1000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs	RQ
Potassium Hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Component	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	Х
Potassium Hydroxide 1310-58-3	Х	X	Х
Boric Acid 10043-35-3	Х	-	-
lodine 7553-56-2	X	X	X

U.S. EPA Label Information

No information available

16. OTHER INFORMATION

Prepared By Environmental, Health and Safety

Prepared For Thermo Fisher Scientific Inc.©

Issue Date No information available

Revision Date 10-Aug-2016

Reason for revision SDS sections updated.

Disclaimer

IMPORTANT: The information contained in this SDS is correct to the best of our knowledge as of the issue date (or subsequent revision date, if any), and is to be used only as a guide. This SDS does not constitute a guarantee (express or implied) of any kind and we make no warranties of any kind as to the accuracy or completeness of the information contained herein or the merchantability or fitness of the product or this information for a particular purpose. It is the responsibility of each individual buyer/user to determine the suitability of this information and the product for its intended purposes. Product sales are subject to Thermo Fisher Scientifics standard terms and conditions of sale. This information relates only to the designated product as shipped and may not be valid if the product is used in combination with any other materials or is not used in accordance with our instructions, or is altered in any way. It is the responsibility of the buyer/user to ensure that its activities comply with all applicable government requirements. Since conditions of use of the product are not under direct control of Thermo Fisher Scientific, it is the duty of the buyer/user to determine the necessary conditions for the safe use of the product. Thermo Fisher Scientific will not be liable for any injuries or damages resulting from handling, use, misuse or contact with the product.

End of Safety Data Sheet