

# **SAFETY DATA SHEET**

Version 6.3 Revision Date 01/15/2020 Print Date 02/20/2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifiers**

Product name	<sup>:</sup> Gram's safranin solution	
Product Number Brand	: 94635 : Sigma-Aldrich	

## **1.2** Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Laboratory chemicals, Synthesis of substances	
-----------------	---	---	--

## 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 Spruce Street ST. LOUIS MO 6310 UNITED STATES	
Telephone Fax	-	+1 314 771-5765 +1 800 325-5052	
ғах		+1 800 325-5052	

### **1.4 Emergency telephone number**

Emergency Phone # : +1-703-527-3887

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram

<	*	>

	Signal word	Warning	
	Hazard statement(s) H226	Flammable liquid and vapour.	
	Precautionary statement(s)		
	P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.	)
	P233	Keep container tightly closed.	
	P240	Ground/bond container and receiving equipment.	
Sigma-	-Aldrich - 94635	Page	1

Page 1 of 9



P241	Use explosion-proof electrical/ ventilating/ lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P280	Wear protective gloves/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403 + P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Synonyms	: Safranin Tsolution
Formula	: C <sub>20</sub> H <sub>19</sub> ClN <sub>4</sub>
Molecular weight	: 350.84 g/mol

Component		Classification	Concentration
Ethanol			
CAS-No.	64-17-5	Flam. Liq. 2; Eye Irrit. 2A;	>= 10 - < 20
EC-No.	200-578-6	H225, H319	%
Index-No.	603-002-00-5		
Registration	01-2119457610-43-		
number	XXXX		

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Sigma-Aldrich - 94635

Page 2 of 9



- Most important symptoms and effects, both acute and delayed 4.2 The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- 4.3 Indication of any immediate medical attention and special treatment needed No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Carbon oxides
- 5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information Use water spray to cool unopened containers.

## **SECTION 6: Accidental release measures**

Personal precautions, protective equipment and emergency procedures 6.1 Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

#### 6.2 **Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

- Methods and materials for containment and cleaning up 6.3 Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13).
- 6.4 **Reference to other sections** For disposal see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): 3: Flammable liquids

Sigma-Aldrich - 94635

Page 3 of 9



## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### **Components with workplace control parameters**

Component	CAS-No.	Value	Control parameters	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	1,000 ppm 1,900 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
	Remarks	The value in mg/m3 is approximate.		roximate.
		STEL	1,000 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Upper Respiratory Tract irritation Confirmed animal carcinogen with unknown relevance to humans		
		TWA	1,000 ppm 1,900 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	1,000 ppm 1,900 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

#### 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### **Personal protective equipment**

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nitrile rubber

Sigma-Aldrich - 94635

Page 4 of 9



Minimum layer thickness: 0.2 mm Break through time: 30 min Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

	a)	Appearance	Form: clear, liquid Colour: red			
	b)	Odour	No data available			
	c)	Odour Threshold	No data available			
	d)	рН	No data available			
	e)	Melting point/freezing point	No data available			
	f)	Initial boiling point and boiling range	No data available			
	g)	Flash point	46 °C (115 °F)			
	h)	Evaporation rate	No data available			
	i)	Flammability (solid, gas)	No data available			
	j)	Upper/lower flammability or explosive limits	No data available			
	k)	Vapour pressure	No data available			
	I)	Vapour density	No data available			
	m)	Relative density	0.990 g/cm3			
F	a-Aldrich - 94635					

Sigma-Aldrich - 94635

Page 5 of 9



- n) Water solubility No data available
- o) Partition coefficient: No data available n-octanol/water
- p) Auto-ignition No data available temperature
- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties No data available
- 9.2 Other safety information No data available

#### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity** No data available

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5 Incompatible materials** Strong oxidizing agents

#### **10.6 Hazardous decomposition products** Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

### **SECTION 11: Toxicological information**

## **11.1** Information on toxicological effects

### Acute toxicity No data available

Inhalation: No data available

Dermal: No data available

No data available

#### Skin corrosion/irritation No data available

#### Serious eye damage/eye irritation No data available

Sigma-Aldrich - 94635

Page 6 of 9



## **Respiratory or skin sensitisation**

No data available

### Germ cell mutagenicity

No data available

#### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

#### **Specific target organ toxicity - single exposure** No data available

**Specific target organ toxicity - repeated exposure** No data available

Aspiration hazard

No data available

## **Additional Information**

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

## SECTION 12: Ecological information

12.1 Toxicity

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Other adverse effects** No data available

Sigma-Aldrich - 94635

Page 7 of 9



## SECTION 13: Disposal considerations

## **13.1 Waste treatment methods**

## Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

## **Contaminated packaging**

Dispose of as unused product.

## **SECTION 14: Transport information**

### DOT (US)

NA-Number: 1993 Class: NONE Packing group: III Proper shipping name: Combustible liquid, n.o.s. (Ethanol) Reportable Quantity (RQ): Poison Inhalation Hazard: No

### IMDG

Not dangerous goods

## ΙΑΤΑ

Not dangerous goods

### **SECTION 15: Regulatory information**

### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

#### Massachusetts Right To Know Components CAS-No.

Ethanol	64-17-5	1993-04-24
Pennsylvania Right To Know Components Water	CAS-No. 7732-18-5	Revision Date
Ethanol	64-17-5	1993-04-24

## **New Jersey Right To Know Components**

Sigma-Aldrich - 94635

Page 8 of 9

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Revision Date

Water	CAS-No. 7732-18-5	Revision Date
Ethanol	64-17-5	1993-04-24

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **SECTION 16: Other information**

## Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.3

Revision Date: 01/15/2020

Print Date: 02/20/2020

Sigma-Aldrich - 94635

Page 9 of 9

