# SIGMA-ALDRICH

# SAFETY DATA SHEET

Version 5.8 Revision Date 09/28/2017 Print Date 05/15/2018

#### **1. PRODUCT AND COMPANY IDENTIFICATION**

| 1.1 | Product identifiers<br>Product name  | : | Cyclohexane                             |
|-----|--------------------------------------|---|---|
|     | Product Number<br>Brand<br>Index-No. | - | 227048<br>Sigma-Aldrich<br>601-017-00-1 |
|     | CAS-No.                              | : | 110-82-7                                |

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

#### 1.3 Details of the supplier of the safety data sheet

| Company          | : | Sigma-Aldrich<br>3050 Spruce Street<br>SAINT LOUIS MO 63103<br>USA |
|------------------|---|--|
| Telephone<br>Fax | - | +1 800-325-5832<br>+1 800-325-5052                                 |

#### 1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Skin irritation (Category 2), H315 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 Aspiration hazard (Category 1), H304 Acute aquatic toxicity (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word



| Hazard statement(s)<br>H225<br>H304<br>H315<br>H336<br>H400 | Highly flammable liquid and vapour.<br>May be fatal if swallowed and enters airways.<br>Causes skin irritation.<br>May cause drowsiness or dizziness.<br>Very toxic to aquatic life. |
|---|--|
| Precautionary statement(s)<br>P210<br>P233<br>P240          | Keep away from heat/sparks/open flames/hot surfaces. No smoking.<br>Keep container tightly closed.<br>Ground/bond container and receiving equipment.                                 |

| Use explosion-proof electrical/ ventilating/ lighting/ equipment.   |
|---|
| Use only non-sparking tools.  |
| Take precautionary measures against static discharge.   |
| Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  |
| Wash skin thoroughly after handling.  |
| Use only outdoors or in a well-ventilated area.   |
| Avoid release to the environment.   |
| Wear protective gloves/ eye protection/ face protection.  |
| IF SWALLOWED: Immediately call a POISON CENTER/doctor.  |
| IF ON SKIN (or hair): Remove/ Take off immediately all contaminated   |
| clothing. Rinse skin with water/ shower.  |
| IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if |
| you feel unwell.  |
| Do NOT induce vomiting.   |
| If skin irritation occurs: Get medical advice/ attention.   |
| Take off contaminated clothing and wash before reuse.   |
| In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.   |
| Collect spillage.   |
| Store in a well-ventilated place. Keep container tightly closed.  |
| Store in a well-ventilated place. Keep cool.  |
| Store locked up.  |
| Dispose of contents/ container to an approved waste disposal plant.   |
|   |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.1 Substances

| Formula             | : | C <sub>6</sub> H <sub>12</sub> |
|---------------------|---|--------------------------------|
| Molecular weight    | : | 84.16 g/mol                    |
| CAS-No.             | : | 110-82-7                       |
| EC-No.              | : | 203-806-2                      |
| Index-No.           | : | 601-017-00-1                   |
| Registration number | : | 01-2119463273-41-XXXX          |

#### Hazardous components

| Component   | Classification               | Concentration |
|-------------|------------------------------|---------------|
| Cyclohexane |                              |               |
|             | Flam. Liq. 2; Skin Irrit. 2; | 90 - 100 %    |
|             | STOT SE 3; Asp. Tox. 1;      |               |
|             | Aquatic Acute 1; H225, H304, |               |
|             | H315, H336, H400             |               |

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

#### **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Store under inert gas.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### Components with workplace control parameters

| Component   | CAS-No.  | Value        | Control parameters                         | Basis   |  |
|-------------|----------|--------------|--|---|--|
| Cyclohexane | 110-82-7 | TWA          | 100.000000<br>ppm                          | USA. ACGIH Threshold Limit Values<br>(TLV)  |  |
|             | Remarks  | Central Ner  | ous System impai                           | rment   |  |
|             |          | TWA          | 300.000000<br>ppm<br>1,050.000000<br>mg/m3 | USA. NIOSH Recommended<br>Exposure Limits   |  |
|             |          | TWA          | 300.000000<br>ppm<br>1,050.000000<br>mg/m3 | USA. Occupational Exposure Limits<br>(OSHA) - Table Z-1 Limits for Air<br>Contaminants        |  |
|             |          | The value in | The value in mg/m3 is approximate.         |   |  |
|             |          | PEL          | 300 ppm<br>1,050 mg/m3                     | California permissible exposure<br>limits for chemical contaminants<br>(Title 8, Article 107) |  |

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 35 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

|    |  | •••   |
|----|--|---|
| a) | Appearance   | Form: liquid<br>Colour: colourless  |
| b) | Odour  | No data available   |
| c) | Odour Threshold                                    | No data available   |
| d) | рН   | No data available   |
| e) | Melting point/freezing point                       | Melting point/range: 4 - 7 °C (39 - 45 °F) - lit.   |
| f) | Initial boiling point and boiling range            | 80.7 °C (177.3 °F) - lit.   |
| g) | Flash point  | -18.0 °C (-0.4 °F) - closed cup   |
| h) | Evaporation rate                                   | No data available   |
| i) | Flammability (solid, gas)                          | No data available   |
| j) | Upper/lower<br>flammability or<br>explosive limits | Upper explosion limit: 9 %(V)<br>Lower explosion limit: 1 %(V)                            |
| k) | Vapour pressure                                    | 225.0 hPa (168.8 mmHg) at 37.7 °C (99.9 °F)<br>102.7 hPa (77.0 mmHg) at 20.0 °C (68.0 °F) |
| I) | Vapour density                                     | No data available   |
| m) | Relative density                                   | 0.779 g/cm3 at 25 °C (77 °F)  |
| n) | Water solubility                                   | No data available   |
| o) | Partition coefficient: n-<br>octanol/water         | log Pow: 3.44   |
| p) | Auto-ignition<br>temperature                       | 260.0 °C (500.0 °F)   |
| q) | Decomposition<br>temperature                       | No data available   |
| r) | Viscosity  | No data available   |
| s) | Explosive properties                               | No data available   |
| t) | Oxidizing properties                               | No data available   |
|    | r safety information<br>ata available              |   |

#### **10. STABILITY AND REACTIVITY**

10.1 Reactivity No data available

9.2

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** Vapours may form explosive mixture with air.
- 10.4 Conditions to avoid

Heat, flames and sparks.

# 10.5 Incompatible materials

Strong oxidizing agents

#### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

#### **11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 12,705 mg/kg

LC50 Inhalation - Rat - 4 h - 34,000 mg/l (OECD Test Guideline 403)

LD50 Dermal - Rabbit - > 2,000 mg/kg

No data available

Skin corrosion/irritation Skin - Rabbit

Result: No skin irritation

Serious eye damage/eye irritation Eyes - Rabbit

Result: Mild eye irritation

Respiratory or skin sensitisation No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

No data available

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard May be fatal if swallowed and enters airways.

### Additional Information

RTECS: GU6300000

Central nervous system depression, Drowsiness, Irritability, Dizziness, Gastrointestinal disturbance, Lung irritation, chest pain, pulmonary edema

# **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

Toxicity to fish

flow-through test LC50 - Pimephales promelas (fathead minnow) - 4.53 mg/l -

96 h (OECD Test Guideline 203)

| Toxicity to daphnia and | Immobilization EC50 - Daphnia magna (Water flea) - 0.9 mg/l - 48 h |
|-------------------------|--|
| other aquatic           | (OECD Test Guideline 202)  |
| invertebrates           |  |

Toxicity to algae EC50 - Pseudokirchneriella subcapitata (green algae) - 3.4 mg/l - 72 h (OECD Test Guideline 201)

# 12.2 Persistence and degradability

Biodegradability Result: - Readily biodegradable.

#### 12.3 **Bioaccumulative potential**

No data available

#### 12.4 Mobility in soil

No data available

#### Results of PBT and vPvB assessment 12.5

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life.

### **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods 13.1

#### Product

Contact a licensed professional waste disposal service to dispose of this material. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### **Contaminated packaging**

Dispose of as unused product.

### **14. TRANSPORT INFORMATION**

# 

| DOT (US)     | )              |                            |                               |                             |  |
|--------------|----------------|----------------------------|-------------------------------|-----------------------------|--|
| UN numb      |                | Class: 3                   | Packing group: II             |                             |  |
|              |                | e: Cyclohexane             |                               |                             |  |
| Reportabl    | e Quantity (   | RQ): 1000 lbs              |                               |                             |  |
| Poison Inl   | halation Haz   | ard: No                    |                               |                             |  |
| IMDG         |                |                            |                               |                             |  |
| UN numb      | er: 1145       | Class: 3                   | Packing group: II             | EMS-No: F-E, S-D            |  |
| Proper sh    | ipping name    | : CYCLOHEXANE              |                               |                             |  |
| Marine po    | ollutant:yes   |                            |                               |                             |  |
| ΙΑΤΑ         |                |                            |                               |                             |  |
| UN numb      | er: 1145       | Class: 3                   | Packing group: II             |                             |  |
| Proper sh    | ipping name    | e: Cyclohexane             |                               |                             |  |
| 15. REGULATO |                | MATION                     |                               |                             |  |
|              |                |                            |                               |                             |  |
|              | Componen       |                            |                               |                             |  |
| No chemica   | als in this ma | aterial are subject to the | reporting requirements of SA  | ARA Title III, Section 302. |  |
| SARA 313     | Componen       | ts                         |                               |                             |  |
|              | •              |                            | ting levels established by SA | RA Title III, Section 313:  |  |
|              | <b>U</b>       |                            | -                             | Bovision Doto               |  |

|  | CAS-No.  | Revision Date |
|--|----------|---------------|
| Cyclohexane                            | 110-82-7 | 2007-07-01    |
| Massachusetts Right To Know Components |          |               |
|  | CAS-No.  | Revision Date |
| Cyclohexane                            | 110-82-7 | 2007-07-01    |

#### Pennsylvania Right To Know Components

| e |
|---|
|   |
|   |
| e |
|   |
|   |

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

| Aquatic Acute | Acute aquatic toxicity                           |
|---------------|--|
| Asp. Tox.     | Aspiration hazard                                |
| Flam. Liq.    | Flammable liquids                                |
| H225          | Highly flammable liquid and vapour.              |
| H304          | May be fatal if swallowed and enters airways.    |
| H315          | Causes skin irritation.                          |
| H336          | May cause drowsiness or dizziness.               |
| H400          | Very toxic to aquatic life.                      |
| Skin Irrit.   | Skin irritation                                  |
| STOT SE       | Specific target organ toxicity - single exposure |

#### **HMIS Rating**

| Health hazard:         | 2 |
|------------------------|---|
| Chronic Health Hazard: |   |
| Flammability:          | 3 |
| Physical Hazard        |   |
|                        |   |

#### **NFPA** Rating

| Health hazard:     | 2 |
|--------------------|---|
| Fire Hazard:       | 3 |
| Reactivity Hazard: | 0 |

#### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

#### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.8

Revision Date: 09/28/2017

Print Date: 05/15/2018