

# SAFETY DATA SHEET

Version 6.3 Revision Date 09/18/2019 Print Date 10/04/2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Potassium nitrate

Product Number : P8394
Brand : SIGALD
CAS-No. : 7757-79-1

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 Spruce Street ST. LOUIS MO 63103

**UNITED STATES** 

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

### 1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887

### SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing solids (Category 3), H272

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram

**(4)** 

Signal word Warning

Hazard statement(s)

H272 May intensify fire; oxidizer.

Precautionary statement(s)

P210 Keep away from heat.

P220 Keep/Store away from clothing/ combustible materials.
P221 Take any precaution to avoid mixing with combustibles.

SIGALD - P8394 Page 1 of 9



P280 Wear protective gloves/ eye protection/ face protection.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam to extinguish.

P501 Dispose of contents/ container to an approved waste disposal

plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Formula : KNO<sub>3</sub>

Molecular weight : 101.10 g/mol CAS-No. : 7757-79-1 EC-No. : 231-818-8

No components need to be disclosed according to the applicable regulations.

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Flush eyes with water as a precaution.

### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

## Suitable extinguishing media

Dry powder Dry sand

SIGALD - P8394 Page 2 of 9



### 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx), Potassium oxides

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Keep away from heat and sources of ignition. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

hygroscopic

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## **Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

SIGALD - P8394 Page 3 of 9

# 8.2 Exposure controls

### **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

## **Eye/face protection**

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness:  $0.11\ mm$ 

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

SIGALD - P8394

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# **Control of environmental exposure**

Do not let product enter drains.



Page 4 of 9

## **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties 9.1

a) Appearance Form: crystalline

Colour: white

b) Odour No data available No data available c) Odour Threshold

d) pH

Melting point/range: 334 °C (633 °F) - lit. e) Melting

point/freezing point

Initial boiling point No data available f) and boiling range

g) Flash point ()No data available No data available h) Evaporation rate i)

Flammability (solid, gas)

No data available

Upper/lower j) flammability or explosive limits No data available

k) Vapour pressure No data available Vapour density No data available I)

m) Relative density 2.11 g/cm3

10 g/l - completely soluble n) Water solubility

o) Partition coefficient: No data available

n-octanol/water

p) Auto-ignition temperature

No data available

q) Decomposition temperature

400 °C (752 °F) -

No data available r) Viscosity s) Explosive properties No data available

Oxidizing properties The substance or mixture is classified as oxidizing with the

category 3.

#### Other safety information 9.2

800 kg/m3 Bulk density

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

SIGALD - P8394 Page 5 of 9

# 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

No data available

# 10.5 Incompatible materials

Strong reducing agents, Powdered metals, Strong acids, Organic materials

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Nitrogen oxides (NOx), Potassium oxides

Other decomposition products - No data available

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 425)

LC50 Inhalation - Rat - male and female - 4 h - > 0.527 mg/l

(OECD Test Guideline 403)

LD50 Dermal - Rat - male and female - > 5,000 mg/kg

(OECD Test Guideline 402)

No data available

# Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

### Respiratory or skin sensitisation

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

### Germ cell mutagenicity

Mutagenicity (mammal cell test): chromosome aberration.

Chinese hamster fibroblasts

Result: negative

(ECHA)

In vitro mammalian cell gene mutation test

mouse lymphoma cells

Result: negative

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

SIGALD - P8394 Page 6 of 9

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

### **Reproductive toxicity**

No data available

### Specific target organ toxicity - single exposure

No data available

Acute oral toxicity - Irritation of mucous membranes, Nausea, Vomiting, Diarrhoea

## Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

### **Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - No observed adverse effect level -> 1,500 mg/kg

RTECS: TT3700000

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption of large quantities:

Methaemoglobinaemia with headache, cardiac arrhythmia, drop in blood pressure, dyspnoea, and spasms, key symptom: cyanosis (blue colouration of the blood). Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Liver - Irregularities - Based on Human Evidence

# **SECTION 12: Ecological information**

### 12.1 Toxicity

static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 100 mg/l Toxicity to fish

- 96 h

(OECD Test Guideline 203)

Toxicity to daphnia

and other aquatic

invertebrates

EC50 - Daphnia magna (Water flea) - 490 mg/l - 48 h

Remarks: (IUCLID)

Toxicity to algae static test ErC50 - diatoms - > 1,700 mg/l - 10 Days

EC50 - activated sludge - > 1,000 mg/l - 3 h Toxicity to bacteria

(OECD Test Guideline 209)

# 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

SIGALD - P8394 Page 7 of 9

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Contact a licensed professional waste disposal service to dispose of this material.

### **Contaminated packaging**

Dispose of as unused product.

## **SECTION 14: Transport information**

DOT (US)

UN number: 1486 Class: 5.1 Packing group: III

Proper shipping name: Potassium nitrate

Reportable Quantity (RQ): Poison Inhalation Hazard: No

**IMDG** 

UN number: 1486 Class: 5.1 Packing group: III EMS-No: F-A, S-Q

Proper shipping name: POTASSIUM NITRATE

**IATA** 

UN number: 1486 Class: 5.1 Packing group: III

Proper shipping name: Potassium nitrate

## **SECTION 15: Regulatory information**

## **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Potassium nitrate CAS-No. Revision Date 7757-79-1 2007-03-01

### SARA 311/312 Hazards

Reactivity Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

SIGALD - P8394 Page 8 of 9

Potassium nitrate CAS-No. Revision Date 2007-03-01

# **Pennsylvania Right To Know Components**

Potassium nitrate CAS-No. Revision Date 7757-79-1 2007-03-01

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### SECTION 16: Other information

### **Further information**

Copyright 2018 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.3 Revision Date: 09/18/2019 Print Date: 10/04/2019

SIGALD - P8394 Page 9 of 9

