# SIGMA-ALDRICH

# **SAFETY DATA SHEET**

Version 3.12 Revision Date 04/13/2018 Print Date 05/15/2018

1. P	RODUCT AND COMPANY	' IDENTIFICATION
1.1	Product identifiers Product name	<sup>:</sup> Potassium
	Product Number Brand	: 244864 : Aldrich
	CAS-No.	: 7440-09-7
1.2	Relevant identified uses	of the substance or mixture and uses advised against
	Identified uses	: Laboratory chemicals, Synthesis of substances
1.3	Details of the supplier of	the safety data sheet

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone	:	+1 800-325-5832
Fax	:	+1 800-325-5052
<b>-</b>		

#### 1.4 **Emergency telephone number**

Emergency Phone #	:	+1-703-527-3887	(CHEMTREC)	)
-------------------	---	-----------------	------------	---

# 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Substances and mixtures, which in contact with water, emit flammable gases (Category 1), H260 Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318 Carcinogenicity (Category 1A), H350

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s)	
H260	In contact with water releases flammable gases which may ignite spontaneously.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H350	May cause cancer.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P223	Keep away from any possible contact with water, because of violent

reaction and possible flash fire.

P231 + P232	Handle under inert gas. Protect from moisture.
P260	Do not breathe dust or mist.
P264	Wash skin thoroughly after handling.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P281	Use personal protective equipment as required.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P335 + P334	Brush off loose particles from skin. Immerse in cool water/ wrap in wet bandages.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P402 + P404	Store in a dry place. Store in a closed container.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Reacts violently with water.

May form explosive peroxides.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.2 Mixtures

Formula	:	К
Molecular weight	:	39.10 g/mol

#### Hazardous components

Component		Classification	Concentration
Potassium			
CAS-No.	7440-09-7	Water-react. 1; Skin Corr. 1A;	90 - 100 %
EC-No.	231-119-8	Eye Dam. 1; H260, H314,	
Index-No.	019-001-00-2	H318	
Paraffin oils			
CAS-No.	8012-95-1	Asp. Tox. 1; H304	1 - 5 %
EC-No.	232-384-2		

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

# General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Continue rinsing eyes during transport to hospital.

# If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **5. FIREFIGHTING MEASURES**

# 5.1 Extinguishing media

Suitable extinguishing media Dry powder

5.2 Special hazards arising from the substance or mixture No data available

#### **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

# 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Do not flush with water. Keep in suitable, closed containers for disposal.

# 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.Keep away from sources of ignition - No smoking. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Never allow product to get in contact with water during storage.

# Handle and store under inert gas.

Storage class (TRGS 510): 4.3: Hazardous materials, which set free flammable gases upon contact with water

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# Components with workplace control parameters

			-	
Component	CAS-No.	Value	Control	Basis
			parameters	
Paraffin oils	8012-95-1	TWA	5 mg/m3	USA. Occupational Exposure Limits
				(OSHA) - Table Z-1 Limits for Air
				Contaminants
		TWA	5 mg/m3	USA. ACGIH Threshold Limit Values
				(TLV)
	Remarks	s Upper Respiratory Tract irritation		n
		Not classifiable as a human carcinogen		
		TWA 5 mg/m3 USA. NIOSH Recommen		USA. NIOSH Recommended
				Exposure Limits
		ST	10 mg/m3	USA. NIOSH Recommended
			_	Exposure Limits
		PEL 5 mg/m3 California perr		California permissible exposure
			-	limits for chemical contaminants
				(Title 8, Article 107)
		As sampled by method that does not collect vapor.		

Hazardous components without workplace control parameters

# 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, Flame retardant protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: Fragments Colour: grey
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 64 °C (147 °F)
f)	Initial boiling point and boiling range	774 °C (1,425 °F) at 1,013 hPa (760 mmHg)
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	0.12 hPa (0.09 mmHg) at 260 °C (500 °F)
I)	Vapour density	No data available
m)	Relative density	0.860 g/cm3
n)	Water solubility	No data available
0)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
	r safety information ata available	

# **10. STABILITY AND REACTIVITY**

### 10.1 Reactivity

9.2

No data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

- **10.3 Possibility of hazardous reactions** Reacts violently with water.
- **10.4 Conditions to avoid** Exposure to moisture

# 10.5 Incompatible materials

Oxidizing agents, Strong oxidizing agents, Carbon oxides, Reacts violently with water., Reacts with water to generate Hydrogen gas.

## 10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides, Potassium oxides Other decomposition products - No data available In the event of fire: see section 5

# **11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

# Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation No data available

#### Serious eye damage/eye irritation No data available

Respiratory or skin sensitisation No data available

#### Germ cell mutagenicity

No data available

# Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

# **Reproductive toxicity**

No data available No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information RTECS: Not available Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea

# **12. ECOLOGICAL INFORMATION**

12.1 Toxicity

No data available

- **12.2 Persistence and degradability** No data available
- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil No data available

# 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects No data available

# **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

### Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

# DOT (US)

DOT (US) UN number: 2257 Proper shipping nam Reportable Quantity Poison Inhalation Ha	(RQ):	Packing group: I		
<b>IMDG</b> UN number: 2257 Proper shipping nam	Class: 4.3 e: POTASSIUM	Packing group: I	EMS-No: F-G, S-N	
<b>IATA</b> UN number: 2257	Class: 4.3	Packing group: I		

UN number: 2257 Class: 4.3 Proper shipping name: Potassium IATA Passenger: Not permitted for transport

# **15. REGULATORY INFORMATION**

### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# SARA 311/312 Hazards

Reactivity Hazard, Acute Health Hazard, Chronic Health Hazard

# Massachusetts Right To Know Components

	CAS-No.	Revision Date
Potassium	7440-09-7	1993-02-16
Paraffin oils	8012-95-1	2007-03-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Potassium	7440-09-7	1993-02-16
Paraffin oils	8012-95-1	2007-03-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Potassium	7440-09-7	1993-02-16
Paraffin oils	8012-95-1	2007-03-01

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **16. OTHER INFORMATION**

# Full text of H-Statements referred to under sections 2 and 3.

Asp. Tox.	Aspiration hazard
Eye Dam.	Serious eye damage
H260	In contact with water releases flammable gases which may ignite spontaneously.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H350	May cause cancer.
Skin Corr.	Skin corrosion
Water-react.	Substances and mixtures, which in contact with water, emit flammable gases

## **HMIS Rating**

Health hazard: Chronic Health Hazard:	3 *
Flammability:	4
Physical Hazard	2
NFPA Rating Health hazard:	3
Fire Hazard:	4

	-
Fire Hazard:	4
Reactivity Hazard:	2
Special hazard.I:	W

#### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.12

Revision Date: 04/13/2018

Print Date: 05/15/2018