

# **SAFETY DATA SHEET**

Version 6.1 Revision Date 01/15/2020 Print Date 08/07/2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1** Product identifiers

Product name	:	1-Propanol
Product Number	:	96566
Brand	:	Sigma-Aldrich
Index-No.	:	603-003-00-0
CAS-No.	:	71-23-8

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Laborator	chemicals,	, S'	ynthesis	of	substances
-----------------	---	-----------	------------	------	----------	----	------------

## 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	-	+1 314 771-5765 +1 800 325-5052

## **1.4 Emergency telephone number**

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Danger

Pictogram



Signal word Hazard statement(s) H225

Highly flammable liquid and vapour.

Sigma-Aldrich - 96566

Page 1 of 11



H318 H336	Causes serious eye damage. May cause drowsiness or dizziness.
Precautionary statement(s)	
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant
	foam to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal
	plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3:	Composition,	/information	on ingredients

3.1	<b>Substances</b> Synonyms	:	Propyl alcohol		
	Formula Molecular weight CAS-No. EC-No. Index-No.	: : : : : : : : : : : : : : : : : : : :	C <sub>3</sub> H <sub>8</sub> O 60.10 g/mol 71-23-8 200-746-9 603-003-00-0		
	Component			Classification	Concentration
	n-Propanol				
				Flam. Liq. 2; Eye Dam. 1; STOT SE 3; H225, H318, H336 Concentration limits: 20 %: STOT SE 3, H336;	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - 96566

Page 2 of 11



## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

## If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Dry powder Dry sand

Unsuitable extinguishing media Do NOT use water jet.

- 5.2 Special hazards arising from the substance or mixture Carbon oxides
- 5.3 **Advice for firefighters** Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 **Further information**

Use water spray to cool unopened containers.

## **SECTION 6:** Accidental release measures

#### Personal precautions, protective equipment and emergency procedures 6.1 Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

Sigma-Aldrich - 96566

Page 3 of 11



## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

**6.4 Reference to other sections** For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid inhalation of vapour or mist. Use explosion-proof equipment.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Components with workplace control parameters**

	components with workplace control parameters					
Component	CAS-No.	Value	Control parameters	Basis		
n-Propanol	71-23-8	TWA	100 ppm	USA. ACGIH Threshold Limit Values (TLV)		
	Remarks	Upper Respiratory Tract irritation Eye irritation Not classifiable as a human carcinogen				
		TWA	200 ppm 500 mg/m3	USA. NIOSH Recommended Exposure Limits		
		Potential for dermal absorption		tion		
		ST	250 ppm 625 mg/m3	USA. NIOSH Recommended Exposure Limits		
		Potential fo	r dermal absorp	tion		
		TWA	200 ppm 500 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
The value in mg/m3 is approximate.						

Sigma-Aldrich - 96566

Page 4 of 11



PEL	200 ppm 500 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		
STEL	250 ppm 625 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin	•	

## 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

#### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.2 mm Break through time: 72 min Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Sigma-Aldrich - 96566

Page 5 of 11



## **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: clear, liquid Colour: colourless
b)	Odour	alcohol-like
c)	Odour Threshold	No data available
d)	рН	8.5 at 200 g/l at 20 °C (68 °F)
e)	Melting point/freezing point	Melting point/range: -127 °C (-197 °F) - lit.
f)	Initial boiling point and boiling range	97 °C 207 °F - lit.
g)	Flash point	22 °C (72 °F) - closed cup
h)	Evaporation rate	1
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 13.7 %(V) Lower explosion limit: 2.1 %(V)
k)	Vapour pressure	19.3 hPa at 20 °C (68 °F)
I)	Vapour density	2.07 - (Air = 1.0)
m)	Relative density	0.804 g/mL at 25 °C (77 °F)
n)	Water solubility	completely miscible
o)	Partition coefficient: n-octanol/water	log Pow: 0.2 at 25 °C (77 °F) - Bioaccumulation is not expected.
p)	Auto-ignition temperature	400 °C (752 °F) at 1,013.25 hPa - DIN 51794
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Otł	ner safety informatio	n
	Surface tension	23.45 mN/m at 20 °C (68 °F)

## 9.2

Surface tension 23.45 mN/m at 20 °C (68 °F)

Sigma-Aldrich - 96566

Page 6 of 11



## **SECTION 10: Stability and reactivity**

10.1 Reactivity

No data available

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** Vapours may form explosive mixture with air.
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5 Incompatible materials** Strong oxidizing agents

## **10.6 Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### Acute toxicity

No data available LC50 Inhalation - Rat - male and female - 4 h - > 33.8 mg/l (OECD Test Guideline 403) LD50 Dermal - Rabbit - male - 4,032 mg/kg (OECD Test Guideline 402) No data available

## Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation (OECD Test Guideline 404)

## Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye damage. (OECD Test Guideline 405)

#### Respiratory or skin sensitisation

Maximisation Test - Guinea pig Result: negative Remarks: (ECHA) Patch test: - Human Result: negative Remarks: (IUCLID)

Sigma-Aldrich - 96566

Page 7 of 11



## Germ cell mutagenicity

Ames test Escherichia coli/Salmonella typhimurium Result: negative In vitro mammalian cell gene mutation test Chinese hamster ovary cells Result: negative Mutagenicity (mammal cell test): chromosome aberration. Chinese hamster lung cells Result: negative

## Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

## **Reproductive toxicity**

No data available

#### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness. - Central nervous system Acute oral toxicity - Risk of aspiration upon vomiting., Aspiration may cause pulmonary oedema and pneumonitis.

Acute inhalation toxicity - Possible damages:, mucosal irritations

## Specific target organ toxicity - repeated exposure

No data available

## Aspiration hazard

No data available

## Additional Information

RTECS: UH8225000

Central nervous system depression, prolonged or repeated exposure can cause:, narcosis, Skin irritation

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects: Headache, Vertigo, inebriation, Unconsciousness, narcosis After uptake of large quantities: Coma Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

## SECTION 12: Ecological information

## 12.1 Toxicity

Sigma-Aldrich - 96566

Page 8 of 11



	Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - 4,555 mg/l - 96 h (OECD Test Guideline 203)
	Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 3,644 mg/l  - 48 h (DIN 38412)
	Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 9,170 mg/l - 48 h Remarks: (ECHA)
	Toxicity to bacteria	static test IC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209)
12.2	Persistence and deg Biodegradability	<b>gradability</b> aerobic - Exposure time 20 d Result: 75 % - Readily biodegradable. Remarks: (ECHA)
	Chemical Oxygen Demand (COD)	2,230 mg/g Remarks: (IUCLID)

Theoretical oxygen 2,400 mg/g demand Remarks: (Lit.)

Ratio BOD/ThBOD < 2 %

#### 12.3 Bioaccumulative potential

The product is miscible in water and readily biodegradable in both water and soil. Accumulation is not expected.

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

Additional ecological No data available information

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

## Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Contact a licensed professional waste disposal service to dispose of this material.

## Contaminated packaging

Dispose of as unused product.

Sigma-Aldrich - 96566

Page 9 of 11



SECTION 14: Transport information		
<b>DOT (US)</b> UN number: 1274 Class: 3 Proper shipping name: n-Propanol Reportable Quantity (RQ): Poison Inhalation Hazard: No	Packing group: II	
IMDG UN number: 1274 Class: 3 Proper shipping name: n-PROPANOL	Packing group: II	EMS-No: F-E, S-D
IATA UN number: 1274 Class: 3 Proper shipping name: n-Propanol	Packing group: II	

## SECTION 15: Regulatory information

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

## Pennsylvania Right To Know Components

n-Propanol	•	CAS-No.	Revision Date
		71-23-8	2007-03-01

## **SECTION 16: Other information**

#### **Further information**

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the

Sigma-Aldrich - 96566

Page 10 of 11



information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.1 Revision Date: 01/15/2020 Print Date: 08/07/2021

Sigma-Aldrich - 96566

Page 11 of 11

