

## SAFETY DATA SHEET

Version 4.15  
Revision Date 09/22/2017  
Print Date 05/15/2018

---

**1. PRODUCT AND COMPANY IDENTIFICATION****1.1 Product identifiers**

Product name : Hydrogen peroxide solution

Product Number : 216763  
Brand : Sigma-Aldrich

CAS-No. : 7722-84-1

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Synthesis of substances

**1.3 Details of the supplier of the safety data sheet**

Company : Sigma-Aldrich  
3050 Spruce Street  
SAINT LOUIS MO 63103  
USA

Telephone : +1 800-325-5832  
Fax : +1 800-325-5052

**1.4 Emergency telephone number**

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

---

**2. HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Skin corrosion (Category 1A), H314

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Acute aquatic toxicity (Category 3), H402

Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

**2.2 GHS Label elements, including precautionary statements**

Pictogram



Signal word

Danger

Hazard statement(s)

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P261

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264

Wash skin thoroughly after handling.

P271

Use only outdoors or in a well-ventilated area.

P273

Avoid release to the environment.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

|                           |                                                                                                                                                                           |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| P301 + P330 + P331        | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.                                                                                                                        |
| P303 + P361 + P353        | IF ON SKIN (or hair): Take off immediately all contaminated clothing.<br>Rinse skin with water/shower.                                                                    |
| P304 + P340 + P310        | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.                                                       |
| P305 + P351 + P338 + P310 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. |
| P363                      | Wash contaminated clothing before reuse.                                                                                                                                  |
| P403 + P233               | Store in a well-ventilated place. Keep container tightly closed.                                                                                                          |
| P405                      | Store locked up.                                                                                                                                                          |
| P501                      | Dispose of contents/ container to an approved waste disposal plant.                                                                                                       |

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

|                  |                                 |
|------------------|---------------------------------|
| Formula          | : H <sub>2</sub> O <sub>2</sub> |
| Molecular weight | : 34.01 g/mol                   |

#### Hazardous components

| Component                |              | Classification                                                                                                                          | Concentration |
|--------------------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------|---------------|
| <b>Hydrogen peroxide</b> |              |                                                                                                                                         |               |
| CAS-No.                  | 7722-84-1    | Ox. Liq. 1; Acute Tox. 4; Skin Corr. 1A; Eye Dam. 1; STOT SE 3; Aquatic Acute 3; Aquatic Chronic 3; H271, H302 + H332, H314, H335, H412 | 30 - 50 %     |
| EC-No.                   | 231-765-0    |                                                                                                                                         |               |
| Index-No.                | 008-003-00-9 |                                                                                                                                         |               |

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

No data available

---

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

---

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature 2 - 8 °C

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### Components with workplace control parameters

| Component         | CAS-No.   | Value                                                                                                                                   | Control parameters | Basis                                   |
|-------------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----------------------------------------|
| Hydrogen peroxide | 7722-84-1 | TWA                                                                                                                                     | 1.000000 ppm       | USA. ACGIH Threshold Limit Values (TLV) |
|                   | Remarks   | Upper Respiratory Tract irritation<br>Eye irritation<br>Skin irritation<br>Confirmed animal carcinogen with unknown relevance to humans |                    |                                         |

|  |  |                                                                                                                                         |                                |                                                                                         |
|--|--|-----------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|-----------------------------------------------------------------------------------------|
|  |  | TWA                                                                                                                                     | 1.000000 ppm<br>1.400000 mg/m3 | USA. NIOSH Recommended Exposure Limits                                                  |
|  |  | TWA                                                                                                                                     | 1.000000 ppm<br>1.400000 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants        |
|  |  | The value in mg/m3 is approximate.                                                                                                      |                                |                                                                                         |
|  |  | TWA                                                                                                                                     | 1 ppm                          | USA. ACGIH Threshold Limit Values (TLV)                                                 |
|  |  | Upper Respiratory Tract irritation<br>Eye irritation<br>Skin irritation<br>Confirmed animal carcinogen with unknown relevance to humans |                                |                                                                                         |
|  |  | TWA                                                                                                                                     | 1 ppm<br>1.4 mg/m3             | USA. NIOSH Recommended Exposure Limits                                                  |
|  |  | TWA                                                                                                                                     | 1 ppm<br>1.4 mg/m3             | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants        |
|  |  | The value in mg/m3 is approximate.                                                                                                      |                                |                                                                                         |
|  |  | TWA                                                                                                                                     | 1 ppm<br>1.4 mg/m3             | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000                           |
|  |  | PEL                                                                                                                                     | 1 ppm<br>1.4 mg/m3             | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |

## 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

#### Eyeface protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

|                                                 |                                                          |
|-------------------------------------------------|----------------------------------------------------------|
| a) Appearance                                   | Form: liquid, clear<br>Colour: colourless                |
| b) Odour                                        | No data available                                        |
| c) Odour Threshold                              | No data available                                        |
| d) pH                                           | No data available                                        |
| e) Melting point/freezing point                 | No data available                                        |
| f) Initial boiling point and boiling range      | No data available                                        |
| g) Flash point                                  | Not applicable                                           |
| h) Evaporation rate                             | No data available                                        |
| i) Flammability (solid, gas)                    | No data available                                        |
| j) Upper/lower flammability or explosive limits | No data available                                        |
| k) Vapour pressure                              | No data available                                        |
| l) Vapour density                               | No data available                                        |
| m) Relative density                             | 1.110 g/cm <sup>3</sup>                                  |
| n) Water solubility                             | No data available                                        |
| o) Partition coefficient: n-octanol/water       | No data available                                        |
| p) Auto-ignition temperature                    | No data available                                        |
| q) Decomposition temperature                    | No data available                                        |
| r) Viscosity                                    | No data available                                        |
| s) Explosive properties                         | No data available                                        |
| t) Oxidizing properties                         | The substance or mixture is not classified as oxidizing. |

**9.2 Other safety information**

No data available

---

**10. STABILITY AND REACTIVITY****10.1 Reactivity**

No data available

**10.2 Chemical stability**

Stable under recommended storage conditions.

Contains the following stabiliser(s):

Proprietary Inhibitor (<0.1 %)

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Zinc, Powdered metals, Iron, Copper, Nickel, Brass, Iron and iron salts.

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Nature of decomposition products not known.

Other decomposition products - No data available

In the event of fire: see section 5

---

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

No data available

#### Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

No data available

No data available

#### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

#### Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence (Hydrogen peroxide)

---

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

---

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### Product

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### DOT (US)

UN number: 2014      Class: 5.1 (8)      Packing group: II  
Proper shipping name: Hydrogen peroxide, aqueous solutions  
Reportable Quantity (RQ):  
Poison Inhalation Hazard: No

### IMDG

UN number: 2014      Class: 5.1 (8)      Packing group: II      EMS-No: F-H, S-Q  
Proper shipping name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION

### IATA

UN number: 2014      Class: 5.1 (8)      Packing group: II  
Proper shipping name: Hydrogen peroxide, aqueous solution

---

## 15. REGULATORY INFORMATION

### SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

|                   | CAS-No.   | Revision Date |
|-------------------|-----------|---------------|
| Hydrogen peroxide | 7722-84-1 | 1993-04-24    |

### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Reactivity Hazard, Acute Health Hazard, Chronic Health Hazard

### Massachusetts Right To Know Components

|                   | CAS-No.   | Revision Date |
|-------------------|-----------|---------------|
| Hydrogen peroxide | 7722-84-1 | 1993-04-24    |

## Pennsylvania Right To Know Components

|                   | CAS-No.   | Revision Date |
|-------------------|-----------|---------------|
| Water             | 7732-18-5 |               |
| Hydrogen peroxide | 7722-84-1 | 1993-04-24    |

## New Jersey Right To Know Components

|                   | CAS-No.   | Revision Date |
|-------------------|-----------|---------------|
| Water             | 7732-18-5 |               |
| Hydrogen peroxide | 7722-84-1 | 1993-04-24    |

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

## 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

|                 |                                                    |
|-----------------|----------------------------------------------------|
| Acute Tox.      | Acute toxicity                                     |
| Aquatic Acute   | Acute aquatic toxicity                             |
| Aquatic Chronic | Chronic aquatic toxicity                           |
| Eye Dam.        | Serious eye damage                                 |
| H271            | May cause fire or explosion; strong oxidizer.      |
| H302 + H332     | Harmful if swallowed or if inhaled                 |
| H314            | Causes severe skin burns and eye damage.           |
| H318            | Causes serious eye damage.                         |
| H335            | May cause respiratory irritation.                  |
| H402            | Harmful to aquatic life.                           |
| H412            | Harmful to aquatic life with long lasting effects. |
| Ox. Liq.        | Oxidizing liquids                                  |
| Skin Corr.      | Skin corrosion                                     |
| STOT SE         | Specific target organ toxicity - single exposure   |

### HMIS Rating

|                        |   |
|------------------------|---|
| Health hazard:         | 3 |
| Chronic Health Hazard: | * |
| Flammability:          | 0 |
| Physical Hazard        | 2 |

### NFPA Rating

|                    |    |
|--------------------|----|
| Health hazard:     | 3  |
| Fire Hazard:       | 0  |
| Reactivity Hazard: | 2  |
| Special hazard.I:  | OX |
| Health hazard:     | 3  |
| Fire Hazard:       | 0  |
| Reactivity Hazard: | 2  |
| Special hazard.I:  | OX |

### Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.



**Preparation Information**

Sigma-Aldrich Corporation  
Product Safety – Americas Region  
1-800-521-8956

Version: 4.15

Revision Date: 09/22/2017

Print Date: 05/15/2018