

## SAFETY DATA SHEET

Version 5.11  
Revision Date 12/11/2017  
Print Date 05/15/2018

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### 1.1 Product identifiers

Product name : Chloroacetone

Product Number : 167479

Brand : Aldrich

CAS-No. : 78-95-5

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

#### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich  
3050 Spruce Street  
SAINT LOUIS MO 63103  
USA

Telephone : +1 800-325-5832

Fax : +1 800-325-5052

#### 1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 2), H330

Acute toxicity, Dermal (Category 2), H310

Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H226

Flammable liquid and vapour.

H301

Toxic if swallowed.

H310 + H330

Fatal in contact with skin or if inhaled

H315

Causes skin irritation.

H319

Causes serious eye irritation.

H335

May cause respiratory irritation.

H410

Very toxic to aquatic life with long lasting effects.

|                            |                                                                                                                                                         |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Precautionary statement(s) |                                                                                                                                                         |
| P210                       | Keep away from heat/sparks/open flames/hot surfaces. No smoking.                                                                                        |
| P233                       | Keep container tightly closed.                                                                                                                          |
| P240                       | Ground/bond container and receiving equipment.                                                                                                          |
| P241                       | Use explosion-proof electrical/ ventilating/ lighting/ equipment.                                                                                       |
| P242                       | Use only non-sparking tools.                                                                                                                            |
| P243                       | Take precautionary measures against static discharge.                                                                                                   |
| P260                       | Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.                                                                                                   |
| P262                       | Do not get in eyes, on skin, or on clothing.                                                                                                            |
| P264                       | Wash skin thoroughly after handling.                                                                                                                    |
| P270                       | Do not eat, drink or smoke when using this product.                                                                                                     |
| P271                       | Use only outdoors or in a well-ventilated area.                                                                                                         |
| P273                       | Avoid release to the environment.                                                                                                                       |
| P280                       | Wear protective gloves/ eye protection/ face protection.                                                                                                |
| P284                       | Wear respiratory protection.                                                                                                                            |
| P301 + P310 + P330         | IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.                                                                                     |
| P303 + P361 + P353         | IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.                                            |
| P304 + P340 + P310         | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. |
| P305 + P351 + P338         | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.                        |
| P332 + P313                | If skin irritation occurs: Get medical advice/ attention.                                                                                               |
| P337 + P313                | If eye irritation persists: Get medical advice/ attention.                                                                                              |
| P370 + P378                | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.                                                                   |
| P391                       | Collect spillage.                                                                                                                                       |
| P403 + P233                | Store in a well-ventilated place. Keep container tightly closed.                                                                                        |
| P403 + P235                | Store in a well-ventilated place. Keep cool.                                                                                                            |
| P405                       | Store locked up.                                                                                                                                        |
| P501                       | Dispose of contents/ container to an approved waste disposal plant.                                                                                     |

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Lachrymator., Vesicant.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

|                  |                                     |
|------------------|-------------------------------------|
| Formula          | : C <sub>3</sub> H <sub>5</sub> ClO |
| Molecular weight | : 92.52 g/mol                       |
| CAS-No.          | : 78-95-5                           |
| EC-No.           | : 201-161-1                         |

#### Hazardous components

| Component            | Classification                                                                                                                                                         | Concentration |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| <b>Chloroacetone</b> |                                                                                                                                                                        |               |
|                      | Flam. Liq. 3; Acute Tox. 3; Acute Tox. 2; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 1; H226, H301, H310 + H330, H315, H319, H335, H410 | 90 - 100 %    |

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

---

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

For disposal see section 13.

---

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature 2 - 8 °C

Light sensitive.

Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

### Components with workplace control parameters

| Component     | CAS-No. | Value                                                                                  | Control parameters | Basis                                                                                   |
|---------------|---------|----------------------------------------------------------------------------------------|--------------------|-----------------------------------------------------------------------------------------|
| Chloroacetone | 78-95-5 | C                                                                                      | 1.000000 ppm       | USA. ACGIH Threshold Limit Values (TLV)                                                 |
|               | Remarks | Upper Respiratory Tract irritation<br>Eye irritation<br>Danger of cutaneous absorption |                    |                                                                                         |
|               |         | C                                                                                      | 1 ppm              | USA. ACGIH Threshold Limit Values (TLV)                                                 |
|               |         | Upper Respiratory Tract irritation<br>Eye irritation<br>Danger of cutaneous absorption |                    |                                                                                         |
|               |         | C                                                                                      | 1 ppm<br>3.8 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
|               |         | Skin                                                                                   |                    |                                                                                         |

## 8.2 Exposure controls

### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

### Personal protective equipment

#### Eyeface protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm

Break through time: 480 min

Material tested: Butoject® (KCL 897 / Aldrich Z677647, Size M)

#### Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm

Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an

industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

---

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

### **9.1 Information on basic physical and chemical properties**

|                                                 |                                          |
|-------------------------------------------------|------------------------------------------|
| a) Appearance                                   | Form: liquid                             |
| b) Odour                                        | unpleasant                               |
| c) Odour Threshold                              | No data available                        |
| d) pH                                           | No data available                        |
| e) Melting point/freezing point                 | Melting point/range: -44.5 °C (-48.1 °F) |
| f) Initial boiling point and boiling range      | 120 °C (248 °F)                          |
| g) Flash point                                  | 35 °C (95 °F) - closed cup               |
| h) Evaporation rate                             | No data available                        |
| i) Flammability (solid, gas)                    | No data available                        |
| j) Upper/lower flammability or explosive limits | No data available                        |
| k) Vapour pressure                              | No data available                        |
| l) Vapour density                               | No data available                        |
| m) Relative density                             | 1.162 g/mL at 25 °C (77 °F)              |
| n) Water solubility                             | No data available                        |
| o) Partition coefficient: n-octanol/water       | No data available                        |
| p) Auto-ignition temperature                    | No data available                        |
| q) Decomposition temperature                    | No data available                        |
| r) Viscosity                                    | No data available                        |
| s) Explosive properties                         | No data available                        |
| t) Oxidizing properties                         | No data available                        |

### **9.2 Other safety information**

No data available

---

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

Contains the following stabiliser(s):

Calcium carbonate (0.5 %)

### 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

Strong bases

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas

Other decomposition products - No data available

In the event of fire: see section 5

---

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 100 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Ataxia. Skin and Appendages: Other: Hair.

LD50 Dermal - Rabbit - 141 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Ataxia. Skin and Appendages: Other: Hair.

No data available

#### Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

No data available

No data available

#### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

#### Specific target organ toxicity - repeated exposure

No data available

**Aspiration hazard**

No data available

**Additional Information**

RTECS: UC0700000

Dizziness

---

**12. ECOLOGICAL INFORMATION****12.1 Toxicity**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Other adverse effects**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

**13. DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods****Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

**Contaminated packaging**

Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****DOT (US)**

UN number: 1695      Class: 6.1 (3, 8)      Packing group: I

Proper shipping name: Chloroacetone, stabilized

Reportable Quantity (RQ):

Poison Inhalation Hazard: Hazard zone B

**IMDG**

UN number: 1695      Class: 6.1 (3, 8)      Packing group: I

EMS-No: F-E, S-C

Proper shipping name: CHLOROACETONE, STABILIZED

Marine pollutant: yes

**IATA**

UN number: 1695      Class: 6.1 (3, 8)

Proper shipping name: Chloroacetone, stabilized

IATA Passenger: Not permitted for transport

IATA Cargo: Not permitted for transport

---

**15. REGULATORY INFORMATION****SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **SARA 311/312 Hazards**

Fire Hazard, Acute Health Hazard

#### **Massachusetts Right To Know Components**

|               | CAS-No. | Revision Date |
|---------------|---------|---------------|
| Chloroacetone | 78-95-5 | 1993-04-24    |

|               | CAS-No. | Revision Date |
|---------------|---------|---------------|
| Chloroacetone | 78-95-5 | 1993-04-24    |

#### **Pennsylvania Right To Know Components**

|               | CAS-No. | Revision Date |
|---------------|---------|---------------|
| Chloroacetone | 78-95-5 | 1993-04-24    |

|               | CAS-No. | Revision Date |
|---------------|---------|---------------|
| Chloroacetone | 78-95-5 | 1993-04-24    |

#### **New Jersey Right To Know Components**

|               | CAS-No. | Revision Date |
|---------------|---------|---------------|
| Chloroacetone | 78-95-5 | 1993-04-24    |

|               | CAS-No. | Revision Date |
|---------------|---------|---------------|
| Chloroacetone | 78-95-5 | 1993-04-24    |

#### **California Prop. 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

## **16. OTHER INFORMATION**

### **Full text of H-Statements referred to under sections 2 and 3.**

|                 |                                                       |
|-----------------|-------------------------------------------------------|
| Acute Tox.      | Acute toxicity                                        |
| Aquatic Acute   | Acute aquatic toxicity                                |
| Aquatic Chronic | Chronic aquatic toxicity                              |
| Eye Irrit.      | Eye irritation                                        |
| Flam. Liq.      | Flammable liquids                                     |
| H226            | Flammable liquid and vapour.                          |
| H301            | Toxic if swallowed.                                   |
| H310            | Fatal in contact with skin.                           |
| H310 + H330     | Fatal in contact with skin or if inhaled              |
| H315            | Causes skin irritation.                               |
| H319            | Causes serious eye irritation.                        |
| H330            | Fatal if inhaled.                                     |
| H335            | May cause respiratory irritation.                     |
| H400            | Very toxic to aquatic life.                           |
| H410            | Very toxic to aquatic life with long lasting effects. |
| Skin Irrit.     | Skin irritation                                       |

#### **HMIS Rating**

|                        |   |
|------------------------|---|
| Health hazard:         | 3 |
| Chronic Health Hazard: |   |
| Flammability:          | 3 |
| Physical Hazard        | 0 |

#### **NFPA Rating**

|                    |   |
|--------------------|---|
| Health hazard:     | 3 |
| Fire Hazard:       | 3 |
| Reactivity Hazard: | 0 |
| Health hazard:     | 3 |

Fire Hazard: 3  
Reactivity Hazard: 0

**Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.  
The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

**Preparation Information**

Sigma-Aldrich Corporation  
Product Safety – Americas Region  
1-800-521-8956

Version: 5.11

Revision Date: 12/11/2017

Print Date: 05/15/2018