SAFETY DATA SHEET

Version 5.9 Revision Date 05/24/2016 Print Date 08/08/2019

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Lactophenol blue solution

Product Number : 61335

Brand : Sigma-Aldrich

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Skin corrosion (Category 1B), H314

Serious eye damage (Category 1), H318 Germ cell mutagenicity (Category 2), H341

Specific target organ toxicity - repeated exposure (Category 2), H373

Acute aquatic toxicity (Category 3), H402 Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H302 + H332 Harmful if swallowed or if inhaled

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

H402 Harmful to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Sigma-Aldrich - 61335 Page 1 of 9

| Precautionary statement(s) | |
|----------------------------|---|
| P201 | Obtain special instructions before use. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P260 | Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. |
| P264 | Wash skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection. |
| P301 + P312 + P330 | IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. |
| P301 + P330 + P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304 + P340 + P310 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. |
| P305 + P351 + P338 + P310 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. |
| P308 + P313 | IF exposed or concerned: Get medical advice/ attention. |
| P363 | Wash contaminated clothing before reuse. |
| P391 | Collect spillage. |
| P405 | Store locked up. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |
| | |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Vesicant., Rapidly absorbed through skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Synonyms : Lactophenol Anilin Blue Lactophenol Cotton Blue

Hazardous components

| Component | | Classification | Concentration |
|-------------------|--------------|--------------------------------|----------------|
| Glycerol | | | |
| CAS-No. | 56-81-5 | | >= 30 - < 50 % |
| EC-No. | 200-289-5 | | |
| Phenol | | | |
| CAS-No. | 108-95-2 | Acute Tox. 3; Skin Corr. 1B; | >= 20 - < 30 % |
| EC-No. | 203-632-7 | Eye Dam. 1; Muta. 2; STOT | |
| Index-No. | 604-001-00-2 | RE 2; Aquatic Acute 3; Aquatic | |
| | | Chronic 2; H301 + H311 + | |
| | | H331, H314, H318, H341, | |
| | | H373, H402, H411 | |
| L-(+)-Lactic acid | | | |
| CAS-No. | 79-33-4 | Skin Irrit. 2; Eye Dam. 1; | >= 20 - < 30 % |
| EC-No. | 201-196-2 | H315, H318 | |
| | | | |

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - 61335 Page 2 of 9

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

Sigma-Aldrich - 61335 Page 3 of 9

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

| Component | CAS-No. | Value | Control | Basis | | | |
|-----------|----------|--|---|---|--|--|--|
| Component | 0710110. | Value | parameters | Basis | | | |
| Glycerol | 56-81-5 | TWA | 10.000000 | USA. ACGIH Threshold Limit Values | | | |
| Glycerol | 00010 | ' ' ' ' | mg/m3 | (TLV) | | | |
| | Remarks | Upper Respiratory Tract irritation | | | | | |
| | rtomanto | TWA 15.00000 USA. Occupational Exposure Limits | | | | | |
| | | 1 | mg/m3 | (OSHA) - Table Z-1 Limits for Air | | | |
| | | | mg/mo | Contaminants | | | |
| | | TWA | 5.000000 | USA. Occupational Exposure Limits | | | |
| | | 1 1 1 1 1 | mg/m3 | (OSHA) - Table Z-1 Limits for Air | | | |
| | | | ing/ins | Contaminants | | | |
| | | See Appendix D - Substances with No Established RELs | | | | | |
| | | TWA | | | | | |
| | | 1 1 1 1 1 | mg/m3 | (OSHA) - Table Z-1 Limits for Air | | | |
| | | | Ing/ins | Contaminants | | | |
| | | TWA | 15.000000 | USA. Occupational Exposure Limits | | | |
| | | 1 1 1 1 1 | mg/m3 | (OSHA) - Table Z-1 Limits for Air | | | |
| | | | ing/ins | Contaminants | | | |
| Phenol | 108-95-2 | TWA | 5.000000 ppm | USA. ACGIH Threshold Limit Values | | | |
| THOUGH | 100 33 2 | IVVA | 3.000000 ppiii | (TLV) | | | |
| | | Central Nervous System impairment | | | | | |
| | | | Upper Respiratory Tract irritation | | | | |
| | | | Lung damage | | | | |
| | | Substances for which there is a Biological Exposure Index or Indices | | | | | |
| | | (see BEI® section) | | | | | |
| | | Not classifiable as a human carcinogen | | | | | |
| | | Danger of cutaneous absorption | | | | | |
| | | TWA | 5.000000 ppm | USA. NIOSH Recommended | | | |
| | | | 19.000000 | Exposure Limits | | | |
| | | | mg/m3 | | | | |
| | | Potential for dermal absorption | | | | | |
| | | Potential for | <u>dermal</u> absorption | า | | | |
| | | Potential for C | dermal absorption 15.600000 ppm | USA. NIOSH Recommended | | | |
| | | | • | | | | |
| | | | 15.600000 ppm | USA. NIOSH Recommended | | | |
| | | С | 15.600000 ppm 60.000000 | USA. NIOSH Recommended Exposure Limits | | | |
| | | С | 15.600000 ppm 60.000000 mg/m3 dermal absorption | USA. NIOSH Recommended Exposure Limits | | | |
| | | C Potential for | 15.600000 ppm 60.000000 mg/m3 dermal absorption eiling value 5.000000 ppm | USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits | | | |
| | | Potential for 15 minute co | 15.600000 ppm 60.000000 mg/m3 dermal absorption eiling value 5.000000 ppm 19.000000 | USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air | | | |
| | | Potential for 15 minute of TWA | 15.600000 ppm 60.000000 mg/m3 dermal absorption eiling value 5.000000 ppm 19.000000 mg/m3 | USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits | | | |
| | | Potential for 15 minute of TWA Skin design: | 15.600000 ppm 60.000000 mg/m3 dermal absorption eiling value 5.000000 ppm 19.000000 mg/m3 ation | USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants | | | |
| | | Potential for 15 minute of TWA Skin designate The value in | 15.600000 ppm 60.000000 mg/m3 dermal absorption eiling value 5.000000 ppm 19.000000 mg/m3 ation mg/m3 is approxi | USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants mate. | | | |
| | | Potential for 15 minute of TWA Skin design: | 15.600000 ppm 60.000000 mg/m3 dermal absorption eiling value 5.000000 ppm 19.000000 mg/m3 ation mg/m3 is approxi | USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants mate. California permissible exposure | | | |
| | | Potential for 15 minute of TWA Skin designate The value in | 15.600000 ppm 60.000000 mg/m3 dermal absorption eiling value 5.000000 ppm 19.000000 mg/m3 ation mg/m3 is approxi | USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants mate. California permissible exposure limits for chemical contaminants | | | |
| | | Potential for 15 minute of TWA Skin designate The value in | 15.600000 ppm 60.000000 mg/m3 dermal absorption eiling value 5.000000 ppm 19.000000 mg/m3 ation mg/m3 is approxi | USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants mate. California permissible exposure | | | |

Hazardous components without workplace control parameters

Sigma-Aldrich - 61335 Page 4 of 9

Biological occupational exposure limits

| Component | CAS-No. | Parameters | Value | Biological specimen | Basis | |
|-----------|----------|--|-----------------------|---------------------|---|--|
| Phenol | 108-95-2 | Phenol | 250mg/g Creatinine | Urine | ACGIH - Biological Exposure Indices (BEI) | |
| | Remarks | End of shift (As soon as possible after exposure ceases) | | | | |

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm Break through time: 30 min

Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquidb) Odour No data availablec) Odour Threshold No data available

Sigma-Aldrich - 61335 Page 5 of 9

d) рΗ No data available Melting point/freezing No data available Initial boiling point and No data available f) boiling range Flash point No data available No data available h) Evaporation rate Flammability (solid, gas) No data available Upper/lower No data available i) flammability or explosive limits

k) Vapour pressure No data availablel) Vapour density No data available

m) Relative density 1.16 g/mL at 20 °C (68 °F)

n) Water solubility

b) Partition coefficient: n
cotanol/water

No data available
No data available

p) Auto-ignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Sigma-Aldrich - 61335 Page 6 of 9

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Kidney - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

Kidney - Irregularities - Based on Human Evidence (Glycerol)

Stomach - Irregularities - Based on Human Evidence (Phenol)

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

2.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Sigma-Aldrich - 61335 Page 7 of 9

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2821 Class: 6.1 Packing group: II

Proper shipping name: Phenol solutions Reportable Quantity (RQ): 4000 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 2821 Class: 6.1 Packing group: II EMS-No: F-A. S-A

Proper shipping name: PHENOL SOLUTION

Marine pollutant:ves

IATA

UN number: 2821 Class: 6.1 Packing group: II

Proper shipping name: Phenol solution

15. REGULATORY INFORMATION

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302: **Revision Date**

CAS-No.

108-95-2 2007-07-01 Phenol

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. **Revision Date** Phenol 108-95-2 2007-07-01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

CAS-No. **Revision Date** Glycerol 56-81-5 2007-03-01 2007-07-01 Phenol 108-95-2

Pennsylvania Right To Know Components

New Jersey Right To Know Components

CAS-No. **Revision Date** Glycerol 56-81-5 2007-03-01 Phenol 108-95-2 2007-07-01 79-33-4

L-(+)-Lactic acid

CAS-No. **Revision Date** 56-81-5 2007-03-01 Glycerol Phenol 108-95-2 2007-07-01

L-(+)-Lactic acid 79-33-4

California Prop. 65 Components

Sigma-Aldrich - 61335 Page 8 of 9 This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity
Eye Dam. Acute aquatic toxicity
Chronic aquatic toxicity
Serious eye damage

H301 + H311 + Toxic if swallowed, in contact with skin or if inhaled

H331

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

H402 Harmful to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Muta. Germ cell mutagenicity

Skin Corr. Skin corrosion Skin Irrit. Skin irritation

STOT RE Specific target organ toxicity - repeated exposure

HMIS Rating

Health hazard: 3
Chronic Health Hazard: *
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 3
Fire Hazard: 0
Reactivity Hazard: 0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.9 Revision Date: 05/24/2016 Print Date: 08/08/2019

Sigma-Aldrich - 61335 Page 9 of 9