SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 5.7 Revision Date 05/27/2016 Print Date 05/15/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product identifiers Product name	:	Maleic anhydride
	Product Number Brand Index-No.	:	63200 Sigma-Aldrich 607-096-00-9
	CAS-No.	:	108-31-6
1.2	Relevant identified uses	of th	e substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone Fax	-	+1 800-325-5832 +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Respiratory sensitisation (Category 1), H334 Skin sensitisation (Category 1), H317 Specific target organ toxicity - repeated exposure, Inhalation (Category 1), Respiratory system, H372 Specific target organ toxicity - repeated exposure, Oral (Category 2), Kidney, H373 Acute aquatic toxicity (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Cianal word



Signal word	Danger
Hazard statement(s)	
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H372	Causes damage to organs (Respiratory system) through prolonged or
Aldrich 62200	

H373	repeated exposure if inhaled. May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.
H402	Harmful to aquatic life.
Precautionary statement(s)	
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face
	protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Corrosive to the respiratory tract. Sternutator.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms	:	2,5-Furandione
----------	---	----------------

Hazardous components

Component	Classification	Concentration
Maleic anhydride		
	Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; STOT RE 1; STOT RE 2; Aquatic Acute 3; H302, H314, H317, H318,	<= 100 %
	H334, H372, H373, H402	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eve contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed 4.2

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 **Extinguishing media**

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture 5.2 No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment, Avoid dust formation, Avoid breathing vapours, mist or gas, Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

- 6.2 **Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
- 6.3 Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
- Reference to other sections 6.4

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Moisture sensitive.

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis				
Maleic anhydride	108-31-6	TWA	0.100000 ppm	USA. ACGIH Threshold Limit Values (TLV)				
	Remarks	Eye, skin, &	Upper Respiratory	y Tract irritation				
				nclosed are those for which changes				
		are propose	d in the NIC	-				
		See Notice	of Intended Chang	es (NIC)				
		Not classifia Sensitizer	ble as a human ca	arcinogen				
		TWA	0.250000 ppm	USA. Occupational Exposure Limits				
			1.000000	(OSHA) - Table Z-1 Limits for Air				
			mg/m3	Contaminants				
		The value in	The value in mg/m3 is approximate.					
		TWA	0.250000 ppm	USA. NIOSH Recommended				
			1.000000	Exposure Limits				
			mg/m3					
		TWA	0.010000 ppm	USA. ACGIH Threshold Limit Values (TLV)				
			Respiratory sensitization Adopted values or notations enclosed are those for which changes					
			are proposed in the NIC					
			of Intended Chang	es (NIC)				
			Not classifiable as a human carcinogen					
		Sensitizer						
		TWA	0.01 ppm	USA. ACGIH Threshold Limit Values (TLV)				
		Dermal Sen	sitization					
			sensitization					
			Respiratory sensitization					
		2015 Adoption						
			Not classifiable as a human carcinogen					
		PEL	0.1 ppm California permissible exposure					
			0.4 mg/m3	limits for chemical contaminants				
			_	(Title 8, Article 107)				

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: solid Colour: white
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 52 - 54 °C (126 - 129 °F) Melting point/range: 51 - 56 °C (124 - 133 °F) - lit.
f)	Initial boiling point and boiling range	200 °C (392 °F) - lit.
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	0.2 hPa (0.2 mmHg) at 22 °C (72 °F) - OECD Test Guideline 104
I)	Vapour density	No data available
m)	Relative density	1.48 g/cm3 at 20 °C (68 °F) -
n)	Water solubility	No data available
o)	Partition coefficient: n- octanol/water	log Pow: -2.609 at 20 °C (68 °F) - OECD Test Guideline 107

p)	Auto-ignition	No data available
	temperature	

- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties No data available

9.2 Other safety information No data available

10. STABILITY AND REACTIVITY

- 10.1 Reactivity No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available

10.5 Incompatible materials Strong oxidizing agents, Strong acids, Strong bases, Strong reducing agents, Alkali metals, Amines

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 1,090 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - 1 h - > 4.35 mg/l

LD50 Dermal - Rabbit - female - 2,620 mg/kg

No data available

Skin corrosion/irritation Skin - Rabbit Result: Causes burns. - 4 h

Serious eye damage/eye irritation Eyes - Rabbit

Result: Corrosive

Respiratory or skin sensitisation

- Rat Result: May cause sensitisation by inhalation.

Buehler Test - Guinea pig Result: May cause sensitisation by skin contact. (OECD Test Guideline 406)

Germ cell mutagenicity

Ames test Salmonella typhimurium Result: negative

OECD Test Guideline 475 Rat - male and female Result: negative

Carcinogenicity

Carcinogenicity - Rat - Subcutaneous Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Tumorigenic:Tumors at site or application.

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Reproductive toxicity - Rat - Oral

Effects on Fertility: Female fertility index (e.g., # females pregnant per # sperm positive females; # females pregnant per # females mated). Effects on Fertility: Male fertility index (e.g., # males impregnating females per # males exposed to fertile nonpregnant females).

Reproductive toxicity - Rat - Oral Effects on Newborn: Growth statistics (e.g., reduced weight gain).

Developmental Toxicity - Rat - Oral Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure. - Respiratory system Oral - May cause damage to organs through prolonged or repeated exposure. - Kidney

Aspiration hazard

No data available

Additional Information

Repeated dose Rat - male - LOAEL : 250 mg/kg - OECD Test Guideline 408 toxicity RTECS: ON3675000

Cough, Shortness of breath, Headache, Nausea, Vomiting To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	static test LC50 - Oncorhynchus mykiss (rainbow trout) - 75 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 330 mg/l - 48 h
Toxicity to algae	Growth inhibition EC50 - Selenastrum capricornutum (green algae) - > 150 mg/l - 72 h (OECD Test Guideline 201)

Toxicity to bacteria

EC10 - Pseudomonas putida - 44.6 mg/l - 18 h (DIN 38 412 Part 8)

Persistence and degradability 12.2 Biodegradability

Biotic/Aerobic - Exposure time 28 d Result: 73 - 81 % - Readily biodegradable

- 12.3 **Bioaccumulative potential** No data available
- 12.4 Mobility in soil No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

Harmful to aquatic life. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US) UN number: 2215 Proper shipping name: Reportable Quantity (R		Packing group: III	
Poison Inhalation Haza	,		
IMDG UN number: 2215 Proper shipping name:	Class: 8 MALEIC ANHYDRIDE	Packing group: III	EMS-No: F-A, S-B
IATA UN number: 2215 Proper shipping name:	Class: 8 Maleic anhydride	Packing group: III	

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels e	established by SARA Title	e III, Section 313:
	CAS-No.	Revision Date
Maleic anhydride	108-31-6	1993-04-24
Massachusetts Right To Know Components		
	CAS-No.	Revision Date
Maleic anhydride	108-31-6	1993-04-24
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Maleic anhydride	108-31-6	1993-04-24

New Jersey Right To Know Components

Maleic anhydride

CAS-No. 108-31-6 Revision Date 1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Aquatic Acute Eye Dam. H302	Acute toxicity Acute aquatic toxicity Serious eye damage Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317 H318	May cause an allergic skin reaction. Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H372	Causes damage to organs (/\$/*_ORG_REP_INHA/\$/) through prolonged or repeated exposure if inhaled.
H373 H402	May cause damage to organs through prolonged or repeated exposure if swallowed. Harmful to aquatic life.
Resp. Sens.	Respiratory sensitisation
Skin Corr.	Skin corrosion
HMIS Rating Health hazard: Chronic Health Haz	3 ard:
Flammability:	0
Physical Hazard	0
NFPA Rating Health hazard:	3

i loaidi i lazara.	-
Fire Hazard:	0
Reactivity Hazard:	0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.7

Revision Date: 05/27/2016

Print Date: 05/15/2018